



A Meeting of the

**BOARD OF DIRECTORS
OF THE
CENTRAL COAST WATER AUTHORITY**

will be held at 9:00 a.m., on Thursday, October 22, 2020
via URL: <https://meetings.ringcentral.com/j/1495108982>

or via telephone by dialing 1(623) 404-9000 and entering code 149 510 8982#

CCWA's Board meetings are conducted pursuant to California Government Code Section 54953 and Governor Newsom's Executive Orders (N-25-20, N-29-20 and N-35-20), temporarily suspending portions of the Brown Act in response to the COVID-19 pandemic. Members of the Board will participate in this meeting by video call or telephone.

Eric Friedman
Chairman

Ed Andrisek
Vice Chairman

Ray A. Stokes
Executive Director

Brownstein Hyatt
Farber Schreck
General Counsel

Member Agencies

City of Buellton

Carpinteria Valley
Water District

City of Guadalupe

City of Santa Barbara

City of Santa Maria

Goleta Water District

Montecito Water District

Santa Ynez River Water
Conservation District,
Improvement District #1

Associate Member

La Cumbre Mutual
Water Company

Public Comment on agenda items may occur via video call or telephonically, or by submission to the Board Secretary via email at lhw@ccwa.com no later than 8:00 a.m. on the day of the meeting. In your email, please specify (1) the meeting date and agenda item (number and title) on which you are providing a comment and (2) that you would like your comment read into the record during the meeting. If you would like your comment read into the record during the meeting (as either general public comment or on a specific agenda item), please limit your comments to no more than 250 words.

Every effort will be made to read comments into the record, but some comments may not be read due to time limitations. Please also note that if you submit a written comment and do not specify that you would like this comment read into the record during the meeting, your comment will be forwarded to Board members for their consideration.

Pursuant to Government Code section 54957.5, non-exempt public records that relate to open session agenda items and are distributed to a majority of the Board less than seventy-two (72) hours prior to the meeting will be available on the CCWA internet web site, accessible at <https://www.ccwa.com>.

I. Call to Order and Roll Call

II. Public Comment – (Any member of the public may address the Board relating to any matter within the Board's jurisdiction. Individual Speakers may be limited to five minutes; all speakers to a total of fifteen minutes.)

III. Consent Calendar

- * A. Approve Minutes of the September 24, 2020 Regular Meeting
- * B. Approve Bills
- * C. Controller's Report
- * D. Operations Report

IV. Executive Director's Report

- * A. Consider Resolution No. 20-01 (1) Approving Amendment No. 21 (Water Management Amendment) to the Water Supply Contract Between The State Of California Department Of Water Resources And Santa Barbara County Flood Control And Water Conservation District; and (2) Making Responsible Agency Findings Pursuant To CEQA For The Final Environmental Impact Report For Amendment No. 21, And Adopting CEQA Findings And Statement Of Overriding Considerations
- B. Consider Resolution No. 20-02 Approving Amendment 6 to the Agreement for the Supply and Conveyance of Water By the Department of Water Resources of the State of California to the Participating State Water Project Contract Under the Dry Year Water Purchase Program SWPAO NO. 20-826

(Continued)

255 Industrial Way
Buellton, CA 93427
(805) 688-2292
Fax (805) 686-4700
www.ccwa.com

- * Indicates attachment of document to original agenda packet.
- ◆ Indicates enclosure of document with agenda packet.

- IV. Executive Director's Report (*Continued*)**
 - C. Water Supply Situation Report
 - * D. Suspended Table A Reacquisition Update
 - E. 2020 DWR Scheduled Coastal Branch Shutdown
 - F. FY 2019/20 Year End Budget Status Report
 - ◆ G. Finance Committee
 - 1. FY 2020/21 First Quarter Investment Report
 - 2. Request for Revision to CCWA Budget Transfer Policy
- V. Reports from Board Members for Information Only**
- VI. Items for Next Regular Meeting Agenda**
- VII. Date of Next Regular Meeting: January 28, 2021**
- VIII. Adjournment**

**MINUTES OF THE
CENTRAL COAST WATER AUTHORITY
BOARD OF DIRECTORS**

September 24, 2020

The Board meeting was conducted pursuant to California Government Code Section 54953 and Governor Newsom's Executive Order, N-29-20, temporarily suspending portions of the Brown Act to implement social distancing in response to the COVID-19 pandemic. Members of the Board participated in this meeting by video call or telephone. Public Comment on agenda items also occurred telephonically.

Ms. Lisa Watkins, CCWA Board Secretary, confirmed that all Board members could hear each other, had received a copy of the meeting agenda, and could hear the proceedings.

I. Call to Order and Roll Call

Chairman Friedman called the Central Coast Water Authority (CCWA) Board of Directors meeting to order at 9:03 AM.

CCWA member agencies with voting privileges were represented by:

<u>Representative</u>	<u>Agency/City</u>	<u>Voting %</u>
Ed Andrisek	City of Buellton	2.21%
Farfalla Borah	Goleta Water District	17.20%
Jeff Clay	Santa Ynez River Water Conservation District, ID #1	7.64%
Eric Friedman	City of Santa Barbara	11.47%
Shirley Johnson	Carpinteria Valley Water District	7.64%
Shannon Sweeney	City of Guadalupe	1.15%
Etta Waterfield	City of Santa Maria	43.19%
Floyd Wicks	Montecito Water District	9.50%

II. Public Comment

A member of the public representing We Watch expressed the organization's opposition to the Reacquisition of Suspended Table A Allocation and the Assignment of the State Water Project to CCWA from Santa Barbara County.

There was no public comment related to items not on the agenda.

III. Consent Calendar

- A. Approve Minutes of the July 31, 2020 Regular Meeting
- B. Approve Bills
- C. Controller's Report
- D. Operations Report

A motion to approve the Consent Calendar was made by Director Andrisek, seconded by Director Borah and carried following a roll call vote, with Directors Andrisek, Borah, Clay, Friedman, Johnson, Sweeney, Waterfield and Wicks in favor, and none opposed.

IV. Executive Director's Report

Prior to his report, Mr. Stokes requested a change in discussion order for Agenda Items, with discussion of Agenda Item IV.H related to Budget Transfers occurring prior to Agenda Item IV.C. related to Carryover of Project Funds. Following discussion, the request was approved.

A. Final State Water Project Delivery Capability Report 2019

Ray Stokes, CCWA Executive Director, informed the Board the item was provided for the information of the Board, and explained the Delivery Capability Report provides both information for current year deliveries and projections for future year delivery expectations for the State Water Project. The report includes several changes to prior years, with an overall decrease in the long term expected capability of the project. In response to a question from the Board, Mr. Stokes reported the report does not include any modeling based on completion of the Delta Conveyance Project.

B. Request for Approval to Retain the Services of Provost & Pritchard and the Hallmark Group for Phase I of the Water Management Strategies Study

An amount of \$75,000 for CCWA's payment for this item had been included in the current FY budget, and presented to the CCWA Board in June 2020 with a recommendation to retain the services of Provost & Pritchard and the Hallmark Group following issuance of a Request for Qualifications (RFQ). The RFQ was prepared in partnership with San Luis Obispo County (SLO County), who subsequently approved the retention of the recommended firm, but at a limit of \$75,000 expenditure, which is less than would be necessary to cover 50% of the fee of \$200,000. CCWA would therefore have to pay a larger percentage of the overall cost. It is believed by CCWA staff that CCWA will receive a higher benefit as a result of the study, so Staff is requesting the additional \$50,000 to cover the remainder of the study fee be added to the CCWA FY 2021/22 Budget.

Upon a motion by Director Wicks, seconded by Director Andrisek and carried following a roll call vote, with Directors Andrisek, Borah, Clay, Friedman, Johnson, Springer, Sweeney and Wicks in favor, and none opposed, the Board authorized the Executive Director to retain the services of Provost & Pritchard and the Hallmark Group for the Water Management Strategies Study in coordination with SLO County, and authorized the Executive Director to execute the attached Funding Agreement for Consultant Services Water Management Tools Study, and to include \$50,000 in the FY 2021/22 CCWA Budget for completion of the Water Management Tools study in that fiscal year.

C. Discussion Regarding Water Management Amendment to the State Water Supply Contract, Draft Resolution Approving the Same for Consideration by the Board On October 22, 2020, and DWR's Final Environmental Impact Report for the Water Management Amendment and DWR's CEQA Findings of Fact and Statement of Overriding Considerations

The item was presented for discussion only, but will be presented at a future meeting for the Board's consideration. Mr. Stokes provided a high level

explanation of the revised terms to the current State Water Supply Contract the Amendment would be codifying. The amendment would provide additional flexibility for State Project Water transfers or exchanges between Public Water Agencies who are contractors to the State Water Project, as well as water storage and conservation options not currently available to Contractors.

Stephanie Hastings, CCWA General Counsel, explained the Environmental Impact Report prepared by the Department of Water Resources and the Draft Resolution included in the meeting materials, and Mr. Stokes provided additional information on the next steps for the Amendment process, including the requirement that the Amendment be approved by Santa Barbara County as the Contract holder.

A member of the public on behalf of WeWatch expressed their opposition to any change in water transfer rules.

H. Budget Transfers for Various Projects

Mr. John Brady, CCWA Deputy Director, requested Board approval for three projects that were over-budget in FY 2019/2020, but are balanced by numerous projects that were completed under-budget. To provide clarity for the year-end carryover process and to ensure there are sufficient funds to cover the over-budget projects, several budget transfers are requested. Only one of the three projects will be carried over into FY 2020/2021, with all other projects being closed. The amount of the requests were as follows:

Project Needing Funding	Reach	Project Number	Deficit	Carryover?	Transfer Source of Funds	Reach	Project Number	Amount of Transfer
Siemens Solar Project Evaluation	WTP	E-19SOLAR	\$8,082	No	Lagoon A Inlet Valve Repair	WTP	E-19LAIVRP	\$8,082
Tank Inspection WTP Clearwell and Tank	WTP/33B	E-19TKINSP	\$10,566	Yes	Pavement Slurry Seal Tank 2	33B	E-18PAVET2	\$10,566
Risk and Resiliency Assessment	WTP/DIST	E-19RISKRS	\$25,877	No	Pavement Slurry Seal Tank 2	33B	E-18PAVET2	\$25,876

Upon a motion by Director Johnson, seconded by Director Waterfield and carried following a roll call vote with Directors Andrisek, Borah, Clay, Friedman, Johnson, Sweeney, Waterfield and Wicks in favor and none opposed, the Board the Executive Director to make the Project Budget Transfers as described in the Board Report.

D. Request for Approval of Carryover of Project Funds from FY 19/20 to FY 20/21

Mr. Brady provided a listing of Capital and Expense projects that were funded in FY 19/20 but the funds were not expended, with a request to carry those funds over into the current FY 20/21 budget. Director Borah asked several questions and expressed concern related to the age of several of the projects, some of which date back more than 5 years. Mr. Brady explained that some of the projects were ongoing with some work taking place, and the project funds being rolled over each year to allow continuation of the projects with completion at a later date. Following discussion, staff proposed that in upcoming budget cycles older projects be included in the Budget cycle as new projects, and the funds from prior years being refunded to project participants per budget policy.

Upon a motion by Director Wicks, seconded by Director Borah and carried following a roll call vote with Directors Andrisek, Borah, Clay, Friedman, Johnson,

Sweeney, Waterfield and Wicks in favor, and none opposed the Board approved the carryover of project funds from FY 19/20 to FY 20/21 as follows:

Capitalized projects: \$1,218,299.16
Expensed projects: \$ 130,326.17

Director Waterfield left the meeting, and Alternate Director Springer assumed representation for the City of Santa Maria.

- E. Request for Approval for the Use of Appropriated Contingency in the Amount of \$43,401 for Bradbury Bypass Pipeline Budget Exceedance

The bypass pipeline project approved and begun in 2019 and completed in January 2020 exceeded its approved budget by \$43,400.12, in part due to challenges of weather and equipment failures, as well as overages related to fabrication of necessary items related to the installation. Mr. Brady provided detail on the reasons for the exceedance, as well as the appropriated contingencies in the Distribution Department that are available in the budget to correct the shortfall.

Upon a motion by Director Johnson, seconded by Director Wicks and carried following a roll call vote with Directors Andrisek, Borah, Clay, Friedman, Johnson, Springer, Sweeney and Wicks in favor and none opposed the Board authorized the Executive Director to utilize funds from the appropriated contingency budget in the amount of \$43,401 to address the Bradbury Dam Bypass Pipeline Budget Exceedance as described in the Board Report.

Director Clay departed the meeting due to a time conflict.

- F. Request for Approval of Award of Riser and Manway Repair Project - C-20RISERP in the Amount of \$87,220

The Air-Vacuum and Air Release (AVAR) Risers project to replace 25 AVAR locations, which was included in the FY 2020/21 Budget, is to be conducted in three phases. This contract will be for the first of the three phases, and includes 8 locations. Mr. Brady provided background information on the AVAR project.

The project went to public bid but following receipt of the bids, all were above the budgeted amount. After review and confirmation that the lowest bid was responsive and responsible, the item is being brought to the Board for approval. Mr. Brady explained the lowest bid received was from James C. Cushman Inc. for \$87,220, as compared to bids from Cedro Construction Inc. for \$185,200 and Kies and Son construction for \$202,431.

Upon a motion by Director Wicks, seconded by Director Johnson and carried following a roll call vote with Directors Andrisek, Borah, Friedman, Johnson, Springer, Sweeney and Wicks in favor and none opposed, the Board authorized the Executive Director to award the Air Vacuum Air Release Valve Riser Repair Project (C-20RISERP) to James C. Cushman Inc. in the amount of \$87,220

- G. Request for Approval of Water Treatment Plant Process Logic Controller Upgrade Project (C-18PLCDOC and C-20PLCUPG) - Procurement of Engineering Services in the Amount of \$213,111

The Water Treatment Plant Process Logic Controllers (PLCs) play a critical role in all of the automated control functions at the WTP. The Modicon PLCs that are currently in use at the WTP are now considered obsolete and will no longer be supported by the manufacturer. The WTP PLC upgrade projects (C-18PLCDOC and C-20PLCUPG) are Board approved projects included in the budget.

Mr. Brady reviewed the scope of work for the project, which was provided in a Request for Qualifications issued to firms and posted on the CCWA website. Five Statement of Qualifications were submitted and subsequently reviewed and ranked by staff, and Mr. Brady reported on the selection process, as well as the work to be completed in the first phase of the project. The final proposal was included in the meeting materials. The proposal provided a cost of \$213,111 for the service to produce a turn-key design and specifications for the PLC upgrade.

Upon a motion by Director Wicks, seconded by Director Johnson and carried following a roll call vote with Directors Andrisek, Borah, Friedman, Johnson, Springer, Sweeney and Wicks in favor and none opposed, the Board authorized the Executive Director to execute the CCWA Professional Engineering Services Contract with Cannon Engineering Inc. and to issue a Purchase Order to authorize work presented in the Cannon Engineering Proposal dated September 15, 2020 in the amount of \$213,111.]

V. Reports from Board Members for Information Only

Director Borah expressed her appreciation of the efforts of John Brady in his duties as the Deputy Director.

There were no other reports from Board members.

VI. Items for Next Regular Meeting Agenda

- A. Water Management Amendment to the State Water Supply Contract, Resolution Approving the Same for Consideration, and DWR's Final Environmental Impact Report for the Water Management Amendment and DWR's CEQA Findings of Fact and Statement of Overriding Considerations

VII. Date of Next Regular Meeting: October 22, 2020

VIII. Adjournment

The meeting was adjourned at 11:36 AM.

Respectfully submitted,

Elizabeth Watkins
Secretary to the Board



CENTRAL COAST WATER AUTHORITY

Normal and Recurring Costs

Bills for Ratification - September 2020

VENDOR	INVOICE AMOUNT	DESCRIPTION
GENERAL & ADMINISTRATIVE EXPENSES		
Bank of America Business Card	24.27	Publications, subscriptions, postage
Bazzell, David	450.00	Reimbursable expenses -Certification renewal
Cardmember Service	636.62	Publications, subscriptions, postage
Federal Express	449.62	Express shipping
Quadient Finance USA, Inc.	400.00	Postage - postage machine
United Parcel Service	44.81	Shipping expenses
US Bank	15.95	Staff Meeting
US Bank	135.00	GFOA Budget Seminar
	\$ 2,156.27	Total General & Administrative
MONITORING EXPENSES		
AmeriPride Services, Inc.	248.16	Lab supplies
Chemscan Inc.	3,778.07	Lab supplies
Culligan Industries Water Systems	85.00	Carbon Tank Rentals, Tri-Bed Tank Rentals
Eurofins Eaton Analytical	4,325.00	Lab testing
Hach Company	3,608.70	Lab supplies
Home Depot	87.90	Lab supplies
IDEXX Distribution Corp.	2,753.70	Lab supplies
VWR International	1,739.54	Lab supplies
	\$ 16,626.07	Total Monitoring Expenses
OFFICE EXPENSES		
Bank of America Business Card	20.15	Office and kitchen supplies
Gonzalez, Cynthia	18.51	Reimbursable expenses - Kitchen Supplies
Office Depot	164.53	Office, janitorial & kitchen supplies
Staples Inc.	72.90	Office, janitorial & kitchen supplies
	\$ 276.09	Total Office Expenses
OTHER EXPENSES		
ACWA/JPIA	77,883.00	Insurance - Auto/General Liability 20120-21
Adam, Lacey	105.00	DSL reimbursement
Airgas USA, LLC	58.72	Equipment Rental
Bank of America Business Card	103.40	Computer miscellaneous expenses
Brownstein Hyatt Farber	5,168.00	Legal Services: Reacquisition of Relinquished Entitlement
Comcast	194.78	Internet Service
CompuVision	995.00	Datto Cloud Backup
CompuVision	9,180.00	Managed Service Agreement
Dargatz, Darin	30.00	DSL reimbursement
De Lage Landen Financial Services	540.48	Copier Lease - BAO and WTP
Environmental Science Association	6,661.53	Reacquisition of Relinquished Entitlement
Gonzalez, Cynthia	30.00	DSL reimbursement
Impulse Internet Services	2,112.07	T-1 System and Internet Service (Buellton and Shandon)
Long, Lisa	105.00	DSL reimbursement
Marborg Industries	316.00	Tank 5/Tank 7/Tank 2/ EDV Rental
Praxair Company	36.56	Cylinder Rental
Wilson Creek Communications	155.00	Internet Service
	\$ 103,674.54	Total Other Expenses
OTHER MISCELLANEOUS EXPENSES		
Department of Water Resources	4,519,946.00	Variable OMP&R, Delta Water & Transport Charge
	\$ 4,519,946.00	Total Other Miscellaneous Expenses



CENTRAL COAST WATER AUTHORITY

Normal and Recurring Costs

Bills for Ratification - September 2020

VENDOR	INVOICE AMOUNT	DESCRIPTION
PERSONNEL EXPENSES		
ACWA/JPIA	21,825.00	ACWA 2020 Dues
CalPERS Health	32,227.50	Health Insurance
CalPERS Retirement	37,824.44	Pension Contributions
CCWA Payroll Wages/Taxes	229,954.97	Gross Payroll Wages/Taxes
Dental/Vision Payments	2,955.50	Dental/Vision Benefits
MetLife SBC Insurance	1,034.60	Life Insurance
Other Misc Employee Benefits	9,147.06	Vehicle, Uniform and Cafeteria Plan Benefits
Standard Insurance Company	1,398.81	Disability Insurance
	\$ 336,367.88	Total Personnel Expenses
PROFESSIONAL SERVICES		
Applus Rtd USA Inc.	1,754.00	Labor Compliance
Bank of America Business Card	525.88	Equipment service
Brownstein Hyatt Farber	190.00	Legal Services-Relations Warren Act
Brownstein Hyatt Farber	190.00	Legal Services-Increase Delivery VAFB
Brownstein Hyatt Farber	525.00	Legal Services-DWR/SBCFCWCD Contract
Brownstein Hyatt Farber	712.00	Legal Services-General Meetings
Brownstein Hyatt Farber	1,282.50	Legal Services-SWPP Casitas
Brownstein Hyatt Farber	2,090.00	Legal Services-SWC Amendment re Water Management
Brownstein Hyatt Farber	3,277.50	Legal Services- SWC vs. DFW/DWR
Ernst & Young LLP	2,921.00	Accounting Services
HDR Engineering Inc	3,852.50	Engineering Services
Samba Holdings, Inc.	71.70	DMV driver reports
Sentry Alarm Systems	450.00	Security System - WTP
Stanley Convergent Security	1,212.60	Security Service BAO/SYPS
Underground Service Alert	33.10	New USA tickets
	\$ 19,087.78	Total Professional Services
CIP PROJECTS - MATERIALS & OVERHEAD		
Bank of America Business Card	255.00	Air Vacuum Air Release (AVAR) Valve Riser Repair-Phase 2 of 3
HDR Engineering Inc	1,649.00	SYPP Electrical Upgrade (Switchboard)
HDR Engineering Inc	10,380.50	Air Vacuum Air Release (AVAR) Valve Riser Repair-Phase 2 of 3
HDR Engineering Inc	21,566.75	WTP Modular Office Building - Phase 2
San Luis Powerhouse	3,586.62	Remote PLC Panel (RPP) Electrical Upgrade
	\$ 37,437.87	Total CIP Project - Materials and Overhead
REPAIRS & MAINTENANCE		
Alameda Electric Supply	266.89	Parts, repair and maintenance
Allied Electronics and Automation	190.86	Equipment repairs and maintenance
AmeriPride Services, Inc.	432.25	Building maintenance supplies
Automationdirect.com Inc	284.73	Parts, repair and maintenance
Bank of America Business Card	619.59	Equipment repairs and maintenance
Cal Coast Machinery, Inc.	84.94	Parts, repair and maintenance
City of Buellton	96.89	Landscape maintenance - water
Consolidated Electrical Distributors	316.62	Parts, repair and maintenance
Coverall North America, Inc	979.00	Janitorial service - BAO/SYPS
Endress+Hauser, Inc.	505.71	Parts, repair and maintenance
Farwest Corrosion Control	2,716.88	Parts, repair and maintenance
GFG Instrumentation Inc.	157.76	Equipment repairs and maintenance
Gleason Reel	2,062.35	Parts, repair and maintenance
Grainger Inc.	210.28	Parts, repair and maintenance

47836_1
10/14/2020
LMC



CENTRAL COAST WATER AUTHORITY

Normal and Recurring Costs

Bills for Ratification - September 2020

VENDOR	INVOICE AMOUNT	DESCRIPTION
Home Depot	84.26	Parts, repair and maintenance
Jan's Gardening Service	575.00	Landscape maintenance - BAO/SYPS
McMaster-Carr Supply Company	26.71	Maintenance supplies
Mullahey Ford, Inc.	51.17	Equipment repairs and maintenance
Office Depot	79.41	Janitorial supplies
Procare Janitorial Supply	96.51	Janitorial supplies - WTP
Progressive Greenery	330.00	Landscape maintenance - WTP
PRW Steel Supply, Inc.	8,792.40	Equipment repairs and maintenance
Rio Vista Chevrolet	335.83	Vehicle maintenance
Schneider Electric Systems USA	185.55	Repair water damage Board Room
Staples	97.50	Janitorial Supplies
Ultrax Business Products	26.71	Copier maintenance
US Bank	512.42	Equipment repairs and maintenance
US Bank	529.76	Vehicle repairs and maintenance
Western Exterminator Co	101.00	Pest control spraying - BAO and SYPS
	\$ 20,748.98	Total Repairs & Maintenance

SUPPLIES & EQUIPMENT

AmeriPride Services, Inc.	825.74	Uniform expenses
Astra Industrial Services Inc	123.45	Erosion control supplies
Bank of America Business Card	21.49	Minor tools
Bank of America Business Card	45.06	Equipment & maintenance supplies
Bank of America Business Card	103.03	Chemical - Oxidizer/Sanitizer
Bank of America Business Card	121.97	Fuel - Autos
Bank of America Business Card	193.90	Safety supplies
Chemtrade Chemicals US, LLC	25,934.77	Chemicals - WTP
Delta Liquid Energy	315.91	Maintenance supplies and hardware
Eagle Energy	36.25	Equipment service
Grainger Inc.	43.03	Minor tools, equipment & maintenance supplies, safety supplies
Harrington Industrial Plastics	70.55	Maintenance supplies and hardware
Harrison Hardware	21.61	Maintenance supplies and hardware
Hill Brothers Chemical Company	4,570.64	Chemicals - WTP
Home Depot	68.69	Minor tools, equipment & maintenance supplies
JCI Jones Chemical	8,640.00	Chemicals - WTP
McMaster-Carr Supply Company	69.01	Minor tools, equipment & maintenance supplies, safety supplies
Santa Ynez Valley Hardware	40.91	Small tools, materials and safety supplies
Sterling Water Technologies, LLC	15,612.00	Chemicals - WTP
Univar Solutions USA, Inc.	25,574.99	Chemicals - WTP
US Bank	178.84	Maintenance supplies
WEX Bank - Wright Express	4,937.86	Fuel - Autos
	\$ 87,549.70	Total Supplies & Equipment

UTILITIES

City of Buellton	179.88	Water - BAO
Delta Liquid Energy	13.18	Propane gas
First Choice Technology	15.48	Phone - Long distance carrier, 800#
Frontier	291.35	Telephone charges
Health Sanitation Services	260.49	Waste Disposal - SYPS
Marborg Industries	303.03	Waste Disposal - BAO
Pacific Gas & Electric	34,487.94	Utilities - BAO/SYPS/WTP
San Miguel Garbage Company	225.02	Waste Disposal - WTP
Santa Ynez River Water Conservation	176.96	Water - SYPS

47836_1
10/14/2020
LMC




CENTRAL COAST WATER AUTHORITY

Normal and Recurring Costs

Bills for Ratification - September 2020

VENDOR	INVOICE AMOUNT	DESCRIPTION
The Gas Company	11.20	Natural Gas - BAO
US Bank	18.26	Cell Phone accessories
Verizon Wireless	893.65	Cell phone charges
	<u>\$ 36,876.44</u>	Total Utilities
 Subtotal - Bills for Ratification	 <u><u>\$5,180,747.62</u></u>	

47836_1
10/14/2020
LMC 



CENTRAL COAST WATER AUTHORITY

Bills for Approval

VENDOR		INVOICE AMOUNT	DESCRIPTION
State of California DWR	\$	1,853,656.00	Capital Cost and Minimum OMP&R Charges -Oct'20
Subtotal - Bills for Approval	\$	1,853,656.00	
Total Ratification and Approval Bills	\$	<u>7,034,403.62</u>	



Statements of Net Position

ASSETS

	<u>September 30, 2020</u>	<u>August 31, 2020</u>
<u>Current Assets</u>		
Cash and investments	\$ 12,636,861	\$ 13,168,246
Accounts Receivable (Note 1)	17,520	74,972
Accrued interest receivable	104,344	79,076
Other assets	1,732,006	1,654,497
Total Current Assets	14,490,731	14,976,792
<u>Restricted Assets</u>		
Cash and investments with fiscal agents	10,107,750	-
<u>Investment Accounts</u>		
Operations and Maintenance Reserve Fund (Note 2)	2,124,492	2,124,346
DWR Reserve Fund (Note 3)	1,996,729	1,996,592
Rate Coverage Reserve Fund (Note 4)	9,497,514	9,496,864
Debt Service Payments (Note 5)	319,443	10,426,486
Department of Water Resources (Note 6a)	14,214,022	18,222,832
Credits Payable (Note 7)	395,708	395,681
Escrow Deposits (Note 8)	513,115	513,080
Total Restricted Assets	39,168,773	43,175,882
<u>Property, Plant and Equipment</u>		
Construction in progress (Note 9)	421,068	372,920
Fixed assets (net of accumulated depreciation)	90,723,858	90,933,809
Total Property, Plant and Equipment	91,144,926	91,306,729
<u>Other Assets</u>		
Unamortized bond issuance costs (Note 10)	174,877	190,186
Long term receivable (Note 11)	1,270,283	1,270,283
Total Other Assets	1,445,160	1,460,469
Total Assets	\$ 146,249,590	\$ 150,919,871

A handwritten signature in blue ink, appearing to be the initials "LH".



Statements of Net Position

LIABILITIES AND FUND EQUITY

	<u>September 30, 2020</u>	<u>August 31, 2020</u>
<u>Current Liabilities</u>		
Accounts Payable	\$ 193,214	\$ 132,609
DWR and Warren Act Charge Deposits (Note 6a)	14,214,024	18,222,834
CCWA Variable Charge Deposits (Note 6b)	1,067,561	1,300,078
Accrued interest payable	492,751	410,626
Other liabilities	914,184	919,547
Rate Coverage Reserve Fund	1,996,729	1,996,592
DWR Reserve Fund	9,495,379	9,495,379
Unearned Revenue	88,058	88,058
Credits Payable to Project Participants	1,099,013	1,096,644
Total Current Liabilities	<u>29,560,911</u>	<u>33,662,366</u>
<u>Non-Current Liabilities</u>		
Bonds payable (Note 12)	19,710,000	19,710,000
Bond Original Issue Premium, net	468,808	509,848
OPEB Liability	874,907	874,907
Escrow Deposits	513,115	513,080
Net Pension Liability	3,745,005	3,745,005
Total Non-Current Liabilities	<u>25,311,835</u>	<u>25,352,841</u>
<u>Commitments and Uncertainties</u>		
<u>Net Assets</u>		
Contributed capital, net (Note 13)	22,562,433	22,562,433
Retained earnings	68,814,410	69,342,232
Total Net Assets	<u>91,376,843</u>	<u>91,904,665</u>
Total Liabilities and Net Assets	<u>\$ 146,249,590</u>	<u>\$ 150,919,871</u>



Statements of Revenues, Expenses and Changes in Net Position

	<u>September 30, 2020</u>	<u>August 31, 2020</u>
<u>Operating Revenues</u>		
Operating reimbursements from project participants	\$ 21,486,893	\$ 21,205,513
Other revenues	15	14
Total Operating Revenues	<u>21,486,908</u>	<u>21,205,528</u>
<u>Operating Expenses</u>		
Personnel expenses	1,333,588	992,750
Office expenses	3,467	3,191
General and administrative	37,854	27,030
Professional services	79,987	60,776
Supplies and equipment	256,162	168,612
Monitoring expenses	34,459	15,945
Repairs and maintenance	51,923	30,204
Utilities	156,729	119,676
Depreciation and amortization	530,104	353,402
Other expenses	134,976	95,317
Total Operating Expenses	<u>2,619,249</u>	<u>1,866,904</u>
Operating Income	<u>18,867,659</u>	<u>19,338,624</u>
<u>Non-Operating Revenues</u>		
Investment income	119,013	89,600
Total Non-Operating Revenues	<u>119,013</u>	<u>89,600</u>
<u>Non-Operating Expenses</u>		
Interest	246,375	164,250
Current year credits payable	14,669	10,524
Total Non-Operating Expenses	<u>261,044</u>	<u>174,774</u>
Net Income	<u>18,725,628</u>	<u>19,253,450</u>
<u>Retained Earnings</u>		
Retained earnings at beginning of period	50,088,782	50,088,782
Retained earnings at end of period	\$ <u>68,814,410</u>	\$ <u>69,342,232</u>

Central Coast Water Authority
Notes to Financial Statements
September 30, 2020

Note 1: Accounts Receivable

Accounts receivable consists of amounts payable by the State Water Project contractors and other miscellaneous receivables.

Note 2: O&M Reserve Fund

The O&M reserve fund represents cash reserves for emergency uses. The funding requirement is \$2,000,000 allocated on an entitlement basis for the Santa Barbara County project participants. Investment earnings on O&M reserve fund balances are credited against CCWA O&M assessments.

<u>Project Participant</u>	<u>Amount</u>
City of Guadalupe	\$ 28,155
City of Santa Maria	829,297
Golden State Water Company	25,596
Vandenberg AFB	399,811
City of Buellton	29,589
Santa Ynez ID #1 (Solvang)	76,787
Santa Ynez ID #1	25,596
Goleta Water District	233,103
Morehart Land Co.	10,238
La Cumbre Mutual Water Company	51,185
Raytheon Systems Company	2,560
City of Santa Barbara	153,574
Montecito Water District	155,402
Carpinteria Valley Water District	103,601
TOTAL:	<u>\$ 2,124,492</u>

Central Coast Water Authority
Notes to Financial Statements
September 30, 2020

Note 3: DWR Reserve Fund

The DWR Reserve Fund was established to provide a funding source for payments to the State of California Department of Water Resources (DWR) when there is a difference between estimates used to prepare the DWR portion of the annual CCWA budget and the actual amounts billed to the Authority by DWR. Contributions to the DWR Reserve Fund are voluntary. Funding of each participating Project Participant's share of the DWR Reserve Fund will come from a combination of (1) CCWA Operating Expense budget surpluses, if any (2) Interest earnings on funds held in all other accounts on behalf of the participating Project Participant and (3) excess amounts, if any, from any of the DWR Statement of Charges cost components until the funding Target Amount is reached. The Target Amount will be equal to the participating Project Participant's proportional share of a \$10 million allocation of DWR Transportation Minimum OMP&R charges. The following schedule shows the current fund balance of the participating Project Participant's.

Project Participant	Amount
City of Guadalupe	38,516
City of Santa Maria	1,170,385
Golden State Water Company	44,988
City of Buellton	\$ 63,325
Santa Ynez ID #1 (Solvang)	146,812
Santa Ynez ID #1	144,293
Morehart Land Co.	34,659
La Cumbre Mutual Water Company	98,599
Raytheon Systems Co.	9,146
City of Santa Barbara	246,007
TOTAL:	\$ 1,996,729

Note 4: Rate Coverage Reserve Fund Cash Deposits

The rate coverage reserve fund was established to provide CCWA project participants a mechanism to satisfy a portion of their obligation under Section 20(a) of the Water Supply Agreement to impose rates and charges sufficient to collect 125% of their contract payments. The following schedule shows the current balances plus accrued interest receivable in the rate coverage reserve fund.

Project Participant	Amount
City of Guadalupe	\$ 191,056
City of Santa Maria	5,167,802
City of Buellton	274,923
Santa Ynez ID #1 (Solvang)	632,243
Santa Ynez ID #1	461,046
La Cumbre Mutual Water Company	400,444
Montecito Water District	1,494,302
Carpinteria Valley Water District	859,984
Shandon	15,713
TOTAL:	\$ 9,497,514

Central Coast Water Authority
Notes to Financial Statements
September 30, 2020

Note 5: Debt Service Payments

The following table shows the financing participant cash balances available to pay CCWA Series 2016-A revenue bond principal and interest payments.

Participant	Amount
Avila Beach	\$ 377
California Men's Colony	3,301
County of SLO	3,516
Cuesta College	1,651
Morro Bay	21,299
Oceano	2,759
Pismo Beach	4,560
Shandon	374
Guadalupe	4,668
Buellton	8,467
Santa Ynez (Solvang)	24,508
Santa Ynez	9,204
Goleta	77,554
Morehart Land	3,646
La Cumbre	17,058
Raytheon	772
Santa Barbara	47,526
Montecito	56,135
Carpinteria	32,068
TOTAL:	\$ 319,443

Central Coast Water Authority
Notes to Financial Statements
September 30, 2020

Note 6a: Cash and Investments Payment to DWR and Warren Act and Trust Fund Charges

Cash deposits for payments to DWR and Warren Act and Trust Fund payments.

Project Participant	Amount
City of Guadalupe	\$ 125,824
City of Santa Maria	2,787,610
Golden State Water Company	127,236
Vandenberg AFB	5,957,315
City of Buellton	90,995
Santa Ynez ID #1 (Solvang)	144,713
Santa Ynez ID #1	783,452
Goleta Water District	1,019,705
Morehart Land Co.	18,821
La Cumbre Mutual Water Company	228,122
Raytheon Systems Co.	36,810
City of Santa Barbara	1,239,359
Montecito Water District	1,105,121
Carpinteria Valley Water District	548,939
TOTAL:	<u>\$ 14,214,022</u>

Note 6b: Cash Payments for CCWA Variable Charges

Cash deposits for payments to CCWA for Variable Assessments.

Project Participant	Amount
City of Guadalupe	\$ 16,818
City of Santa Maria	129,845
Golden State Water Company	11,809
Vandenberg AFB	(4,998)
City of Buellton	5,075
Santa Ynez ID #1 (Solvang)	26,606
Santa Ynez ID #1	65,985
Goleta Water District	266,545
Morehart Land Co.	284
La Cumbre Mutual Water Company	-
Raytheon Systems Co.	4,497
City of Santa Barbara	177,396
Montecito Water District	177,396
Carpinteria Valley Water District	121,631
Shandon	4,620
Lopez Turnout	44,535
Chorro Turnout	19,517
TOTAL:	<u>\$ 1,067,561</u>

Central Coast Water Authority
Notes to Financial Statements
September 30, 2020

Note 7: Credits Payable

Credits payable to, or (due from) CCWA project participants for investment earnings and O&M assessment credits.

Project Participant	Amount
City of Guadalupe	\$ -
City of Santa Maria	(0)
Golden State Water Company	1
Vandenberg AFB	414,024
City of Buellton	-
Santa Ynez ID #1 (Solvang)	(1)
Santa Ynez ID #1	(20,347)
Goleta Water District	1,455
Morehart Land Co.	-
La Cumbre Mutual Water Company	-
Raytheon Systems Co.	-
City of Santa Barbara	-
Montecito Water District	1,048
Carpinteria Valley Water District	645
Shandon	(1,796)
Lopez Turnout	360
Chorro Turnout	319
TOTAL:	<u>\$ 395,708</u>

Note 8: Escrow Deposits

Cash deposits from certain project participants as required under the Water Supply Agreements.

Project Participant	Amount
Morehart Land Company	\$ 405,091
Raytheon Systems Company	108,024
TOTAL:	<u>\$ 513,115</u>

Note 9: Construction in Progress

Amounts in construction in progress represent expenditures incurred during FY 2018/19 and amounts retained in construction in progress at June 30, 2018. The following schedule shows the CIP expenditures for CCWA projects.

Financial Reach	Amount
Labor	\$ 30,177
Materials	150,199
Overhead	240,692
Project CIP Total:	<u>\$ 421,068</u>

Central Coast Water Authority
Notes to Financial Statements
September 30, 2020

Note 10: Unamortized Bond Issuance Costs

Unamortized bond issuance costs for the 2016 revenue bonds include bond insurance and the 1992, 1996 and 2006 revenue bond deferred costs.

Note 11: Long-Term Receivable

The long-term receivable represents CCWA revenue bond expenditures for project participant local facilities which are owned by the individual project participants. The costs associated with the construction of these local facilities are financed with proceeds from the CCWA revenue bonds. Project participant revenue bond principal payments are proportionally divided between the long-term receivable and the CCWA owned facilities over the term of the bond issue.

Financing Participant	Long-Term Receivable
Avila Beach	\$ 2,905
California Men's Colony	64,873
County of SLO	69,185
Cuesta College	32,439
Morro Bay	496,260
Oceano	19,787
Pismo Beach	32,669
Shandon	2,387
Guadalupe	84,373
Buellton	13,733
Santa Ynez (Solvang)	36,632
Santa Ynez	16,233
Goleta	208,558
Morehart Land	960
La Cumbre	4,801
Raytheon	1,267
Santa Barbara	45,531
Montecito	72,432
Carpinteria	65,259
TOTAL:	\$ 1,270,283

Note 12: Bonds Payable

Bonds payable represents outstanding Series 2016-A revenue bonds outstanding. The next Series 2016-A principal payment is due on October 1, 2020 in the amount of \$10,107,750.

Central Coast Water Authority
Notes to Financial Statements
September 30, 2020

Note 13: Contributed Capital

Certain project participants elected to pay their share of CCWA project construction costs in cash. The amounts listed below show the capital contributions by project participant less the cost of local facilities and refunds to the project participants.

Project Participant	Amount
Avila Valley Water Company	\$ 15,979
City of Guadalupe	81,119
San Luis Schools	5,608
San Miguelito Water Company	233,605
Golden State Water Company	866,277
City of Santa Maria	13,498,802
Vandenberg AFB	7,861,043
TOTAL:	<u>\$ 22,562,433</u>



Budget and Actual All Reaches

September 30, 2020

	<u>Budget</u>	<u>Actual</u>	<u>Percent Expended ⁽¹⁾</u>
<u>Operating Revenues</u>			
Fixed operating assessments ⁽²⁾	\$ 10,773,148	10,773,148	100.00%
Variable operating assessments	2,618,077	1,648,813	62.98%
Other revenues	-	-	N/A
Non-annual recurring revenues	-	-	N/A
Total Operating Revenues	<u>13,391,225</u>	<u>12,421,961</u>	<u>92.76%</u>
<u>Operating Expenses ⁽²⁾</u>			
Personnel expenses	5,221,432	1,333,588	25.54%
Office expenses	21,300	3,467	16.28%
General and administrative	322,412	37,854	11.74%
Professional services	493,223	79,987	16.22%
Supplies and equipment	1,845,711	256,162	13.88%
Monitoring expenses	106,215	34,459	32.44%
Repairs and maintenance	293,760	51,923	17.68%
Utilities	1,143,895	156,729	13.70%
Depreciation and amortization	-	-	N/A
Other expenses	1,986,667	134,976	6.79%
Total Operating Expenses	<u>11,434,616</u>	<u>2,089,145</u>	<u>18.27%</u>
Operating Income	<u>1,956,609</u>	<u>10,332,816</u>	
<u>Non-Operating Revenues</u>			
Interest income	-	-	
Total Non-Operating Revenues	<u>-</u>	<u>-</u>	
<u>Non-Operating Expenses</u>			
Total Non-Operating Expenses	<u>-</u>	<u>-</u>	
Net Income (Loss)	<u>\$ 1,956,609</u>	<u>10,332,816</u>	

(1) Percent of year expended: 25%

(2) Includes revenues and expenses for Turnouts and adjusted for carryover revenues from FY 2019/20 to FY 2020/21



Budget and Actual Administration

	September 30, 2020		
	Budget	Actual	Percent Expended ⁽¹⁾
<u>Operating Revenues</u>			
Fixed operating assessments ⁽²⁾	\$ 1,978,585	\$ 1,978,585	100.00%
Variable operating assessments	-	-	N/A
Other revenues	-	-	N/A
Non-annual recurring revenues	-	-	N/A
Total Operating Revenues	1,978,585	1,978,585	100.00%
<u>Operating Expenses</u> ⁽²⁾			
Personnel expenses	954,884	246,119	25.77%
Office expenses	10,800	2,101	19.45%
General and administrative	212,162	32,469	15.30%
Professional services	306,051	45,207	14.77%
Supplies and equipment	-	-	N/A
Monitoring expenses	-	-	N/A
Repairs and maintenance	29,960	7,394	24.68%
Utilities	17,738	3,530	19.90%
Depreciation and amortization	-	-	N/A
Other expenses	151,652	56,025	36.94%
Total Operating Expenses	1,683,248	392,845	23.34%
Operating Income	295,337	1,585,739	
<u>Non-Operating Revenues</u>			
Investment Income	-	-	
Total Non-Operating Revenues	-	-	
<u>Non-Operating Expenses</u>			
Current Year credits payable	-	-	
Total Non-Operating Expenses	-	-	
Net Income (Loss)	\$ 295,337	1,585,739	

(1) Percent of year expended: 25%

(2) Includes revenues and expenses for Turnouts and adjusted for carryover revenues from FY 2019/20 to FY 2020/21



Budget and Actual Water Treatment Plant

	September 30, 2020		
	Budget	Actual	Percent Expended ⁽¹⁾
Operating Revenues			
Fixed operating assessments ⁽²⁾	\$ 5,106,036	5,106,037	100.00%
Variable operating assessments	1,806,650	1,270,899	70.35%
Other revenues	-	-	N/A
Non-annual recurring revenues	-	-	N/A
Total Operating Revenues	6,912,686	6,376,935	92.25%
Operating Expenses ⁽²⁾			
Personnel expenses	2,482,041	627,650	25.29%
Office expenses	6,500	995	15.30%
General and administrative	76,000	3,083	4.06%
Professional services	83,439	10,622	12.73%
Supplies and equipment	1,742,800	238,918	13.71%
Monitoring expenses	106,215	34,459	32.44%
Repairs and maintenance	172,100	31,425	18.26%
Utilities	245,317	51,101	20.83%
Depreciation and amortization	-	-	N/A
Other expenses	861,572	44,684	5.19%
Total Operating Expenses	5,775,984	1,042,936	18.06%
Operating Income	1,136,702	5,333,999	
Non-Operating Revenues			
Interest income	-	-	
Total Non-Operating Revenues	-	-	
Non-Operating Expenses			
Interest	-	-	
Total Non-Operating Expenses	-	-	
Net Income (Loss)	\$ 1,136,702	5,333,999	

(1) Percent of year expended: 25%

(2) Includes revenues and expenses for Turnouts and adjusted for carryover revenues from FY 2019/20 to FY 2020/21

Central Coast Water Authority
Polonio Pass Water Treatment Plant
Fixed and Variable Cost per Acre-Foot
September 30, 2020

WTP Fixed O&M Costs	July 2020	Aug. 2020	Sept. 2020	Total for Year
Fixed O&M Expenses	\$ 343,627	\$ 216,513	\$ 229,684	\$ 789,824
Annual Table A Amount ⁽¹⁾	43,908	43,908	43,908	43,908
Fixed WTP Cost per AF	<u>\$ 7.83</u>	<u>\$ 4.93</u>	<u>\$ 5.23</u>	<u>\$ 17.99</u>
WTP Variable O&M Costs				
Variable O&M Expenses	\$ 100,015	\$ 64,357	\$ 88,741	\$ 253,113
Actual Water Treated	2,006	1,849	1,607	5,462
Variable WTP Cost per AF	<u>\$ 49.86</u>	<u>\$ 34.81</u>	<u>\$ 55.22</u>	<u>\$ 46.34</u>
<p>(1) Includes Santa Barbara County and San Luis Obispo County Table A amounts and excludes Goleta 2,500 AF drought buffer and Santa Barbara County 3,908 AF drought buffer.</p>				



Budget and Actual Mission Hills II

	September 30, 2020		
	Budget	Actual	Percent Expended ⁽¹⁾
<u>Operating Revenues</u>			
Fixed operating assessments ⁽²⁾	\$ 338,437	338,437	100.00%
Variable operating assessments	-	-	N/A
Other revenues	-	-	N/A
Total Operating Revenues	338,437	338,437	100.00%
<u>Operating Expenses</u> ⁽²⁾			
Personnel expenses	228,853	58,308	25.48%
Office expenses	513	46	8.92%
General and administrative	4,392	282	6.41%
Professional services	13,303	52	0.39%
Supplies and equipment	13,198	2,385	18.07%
Monitoring expenses	-	-	N/A
Repairs and maintenance	11,760	1,191	10.13%
Utilities	8,902	718	8.07%
Depreciation and amortization	-	-	N/A
Other expenses	26,995	4,288	15.88%
Total Operating Expenses	307,916	67,269	21.85%
Operating Income	30,521	271,168	
<u>Non-Operating Revenues</u>			
Interest income	-	-	
Total Non-Operating Revenues	-	-	
<u>Non-Operating Expenses</u>			
Interest	-	-	
Total Non-Operating Expenses	-	-	
Net Income (Loss)	\$ 30,521	271,168	

(1) Percent of year expended: 25%

(2) Includes revenues and expenses for Turnouts and adjusted for carryover revenues from FY 2019/20 to FY 2020/21



Budget and Actual Santa Ynez I

	September 30, 2020		
	Budget	Actual	Percent Expended ⁽¹⁾
<u>Operating Revenues</u>			
Fixed operating assessments ⁽²⁾	\$ 517,152	517,152	100.00%
Variable operating assessments	-	-	N/A
Other revenues	-	-	N/A
Total Operating Revenues	517,152	517,152	100.00%
<u>Operating Expenses</u> ⁽²⁾			
Personnel expenses	322,130	74,723	23.20%
Office expenses	722	59	8.16%
General and administrative	6,183	376	6.08%
Professional services	18,725	67	0.36%
Supplies and equipment	18,577	2,664	14.34%
Monitoring expenses	-	-	N/A
Repairs and maintenance	16,553	4,265	25.76%
Utilities	12,530	1,588	12.68%
Depreciation and amortization	-	-	N/A
Other expenses	77,688	5,778	7.44%
Total Operating Expenses	473,107	89,521	18.92%
Operating Income	44,044	427,631	
<u>Non-Operating Revenues</u>			
Interest income	-	-	
Total Non-Operating Revenues	-	-	
<u>Non-Operating Expenses</u>			
Interest	-	-	
Total Non-Operating Expenses	-	-	
Net Income (Loss)	\$ 44,044	427,631	

(1) Percent of year expended: 25%

(2) Includes revenues and expenses for Turnouts and adjusted for carryover revenues from FY 2019/20 to FY 2020/21



Budget and Actual Santa Ynez II

	September 30, 2020		
	Budget	Actual	Percent Expended ⁽¹⁾
<u>Operating Revenues</u>			
Fixed operating assessments ⁽²⁾	\$ 1,398,742	1,398,742	100.00%
Variable operating assessments	811,427	377,995	46.58%
Other revenues	-		N/A
Total Operating Revenues	2,210,169	1,776,738	80.39%
<u>Operating Expenses</u> ⁽²⁾			
Personnel expenses	462,614	139,187	30.09%
Office expenses	1,037	115	11.13%
General and administrative	8,879	711	8.00%
Professional services	26,892	22,863	85.02%
Supplies and equipment	26,679	5,218	19.56%
Monitoring expenses	-	-	N/A
Repairs and maintenance	23,772	4,749	19.98%
Utilities	829,421	93,130	11.23%
Depreciation and amortization	-	-	N/A
Other expenses	471,082	10,434	2.21%
Total Operating Expenses	1,850,376	276,407	14.94%
Operating Income	359,794	1,500,330	
<u>Non-Operating Revenues</u>			
Interest income	-	-	
Total Non-Operating Revenues	-	-	
<u>Non-Operating Expenses</u>			
Interest	-	-	
Total Non-Operating Expenses	-	-	
Net Income (Loss)	\$ 359,794	1,500,330	

(1) Percent of year expended: 25%

(2) Includes revenues and expenses for Turnouts and adjusted for carryover revenues from FY 2019/20 to FY 2020/21



Budget and Actual Reach 33B

	September 30, 2020		
	Budget	Actual	Percent Expended ⁽¹⁾
<u>Operating Revenues</u>			
Fixed operating assessments ⁽²⁾	\$ 743,550	743,550	100.00%
Variable operating assessments	-	-	N/A
Other revenues	-	-	N/A
Total Operating Revenues	743,550	743,550	100.00%
<u>Operating Expenses</u> ⁽²⁾			
Personnel expenses	356,428	95,981	26.93%
Office expenses	799	78	9.76%
General and administrative	6,841	480	7.01%
Professional services	20,719	495	2.39%
Supplies and equipment	20,555	3,522	17.14%
Monitoring expenses	-	-	N/A
Repairs and maintenance	18,316	1,483	8.10%
Utilities	13,864	2,459	17.74%
Depreciation and amortization	-	-	N/A
Other expenses	188,866	7,066	3.74%
Total Operating Expenses	626,387	111,564	17.81%
Operating Income	117,163	631,986	
<u>Non-Operating Revenues</u>			
Interest income	-	-	
Total Non-Operating Revenues	-	-	
<u>Non-Operating Expenses</u>			
Interest	-	-	
Total Non-Operating Expenses	-	-	
Net Income (Loss)	\$ 117,163	631,986	

(1) Percent of year expended: 25%

(2) Includes revenues and expenses for Turnouts and adjusted for carryover revenues from FY 2019/20 to FY 2020/21



Budget and Actual Reach 34

	September 30, 2020		
	Budget	Actual	Percent Expended ⁽¹⁾
<u>Operating Revenues</u>			
Fixed operating assessments ⁽²⁾	\$ 256,191	256,191	100.00%
Variable operating assessments	-	-	N/A
Other revenues	-	-	N/A
Total Operating Revenues	256,191	256,191	100.00%
<u>Operating Expenses</u> ⁽²⁾			
Personnel expenses	172,442	46,680	27.07%
Office expenses	387	38	9.84%
General and administrative	3,310	234	7.07%
Professional services	10,024	450	4.49%
Supplies and equipment	9,945	1,719	17.29%
Monitoring expenses	-	-	N/A
Repairs and maintenance	8,861	803	9.07%
Utilities	6,708	1,791	26.71%
Depreciation and amortization	-	-	N/A
Other expenses	20,341	3,567	17.53%
Total Operating Expenses	232,017	55,283	23.83%
Operating Income	24,174	200,908	
<u>Non-Operating Revenues</u>			
Interest income	-	-	
Total Non-Operating Revenues	-	-	
<u>Non-Operating Expenses</u>			
Interest	-	-	
Total Non-Operating Expenses	-	-	
Net Income (Loss)	\$ 24,174	200,908	

(1) Percent of year expended: 25%

(2) Includes revenues and expenses for Turnouts and adjusted for carryover revenues from FY 2019/20 to FY 2020/21



Budget and Actual Reach 35

	September 30, 2020		
	Budget	Actual	Percent Expended ⁽¹⁾
<u>Operating Revenues</u>			
Fixed operating assessments ⁽²⁾	\$ 166,466	166,466	100.00%
Variable operating assessments	-	-	N/A
Non-annual recurring revenues	-	-	N/A
Other revenues	-	-	N/A
Total Operating Revenues	166,466	166,466	100.00%
<u>Operating Expenses</u> ⁽²⁾			
Personnel expenses	113,552	12,985	11.44%
Office expenses	255	11	4.32%
General and administrative	2,179	68	3.11%
Professional services	6,601	13	0.19%
Supplies and equipment	6,548	497	7.60%
Monitoring expenses	-	-	N/A
Repairs and maintenance	5,835	187	3.21%
Utilities	4,417	302	6.84%
Depreciation and amortization	-	-	N/A
Other expenses	13,394	966	7.21%
Total Operating Expenses	152,782	15,030	9.84%
Operating Income	13,684	151,436	
<u>Non-Operating Revenues</u>			
Interest income	-	-	
Total Non-Operating Revenues	-	-	
<u>Non-Operating Expenses</u>			
Interest	-	-	
Total Non-Operating Expenses	-	-	
Net Income (Loss)	\$ 13,684	151,436	

(1) Percent of year expended: 25%

(2) Includes revenues and expenses for Turnouts and adjusted for carryover revenues from FY 2019/20 to FY 2020/21



Budget and Actual Reach 37

	September 30, 2020		
	Budget	Actual	Percent Expended ⁽¹⁾
<u>Operating Revenues</u>			
Fixed operating assessments ⁽²⁾	\$ 72,105	72,106	100.00%
Variable operating assessments	-	-	N/A
Non-annual recurring revenues	-	-	N/A
Other revenues	-	-	N/A
Total Operating Revenues	72,105	72,106	100.00%
<u>Operating Expenses</u> ⁽²⁾			
Personnel expenses	48,684	12,442	25.56%
Office expenses	109	11	9.71%
General and administrative	934	65	6.98%
Professional services	2,830	12	0.43%
Supplies and equipment	2,808	602	21.44%
Monitoring expenses	-	-	N/A
Repairs and maintenance	2,502	180	7.21%
Utilities	1,894	153	8.10%
Depreciation and amortization	-	-	N/A
Other expenses	5,743	930	16.20%
Total Operating Expenses	65,503	14,396	21.98%
Operating Income	6,603	57,710	
<u>Non-Operating Revenues</u>			
Interest income	-	-	
Total Non-Operating Revenues	-	-	
<u>Non-Operating Expenses</u>			
Interest	-	-	
Total Non-Operating Expenses	-	-	
Net Income (Loss)	\$ 6,603	57,710	

(1) Percent of year expended: 25%

(2) Includes revenues and expenses for Turnouts and adjusted for carryover revenues from FY 2019/20 to FY 2020/21



Budget and Actual Reach 38

	September 30, 2020		
	Budget	Actual	Percent Expended ⁽¹⁾
<u>Operating Revenues</u>			
Fixed operating assessments ⁽²⁾	\$ 118,158	118,158	100.00%
Variable operating assessments	-	-	N/A
Non-annual recurring revenues	-	-	N/A
Other revenues	-	-	N/A
Total Operating Revenues	118,158	118,158	100.00%
<u>Operating Expenses</u> ⁽²⁾			
Personnel expenses	79,804	16,697	20.92%
Office expenses	179	14	7.88%
General and administrative	1,532	87	5.66%
Professional services	4,639	16	0.35%
Supplies and equipment	4,602	637	13.84%
Monitoring expenses	-	-	N/A
Repairs and maintenance	4,101	240	5.85%
Utilities	3,104	204	6.57%
Depreciation and amortization	-	-	N/A
Other expenses	9,413	1,237	13.14%
Total Operating Expenses	107,374	19,132	17.82%
Operating Income	10,784	99,027	
<u>Non-Operating Revenues</u>			
Interest income	-	-	
Total Non-Operating Revenues	-	-	
<u>Non-Operating Expenses</u>			
Interest	-	-	
Total Non-Operating Expenses	-	-	
Net Income (Loss)	\$ 10,784	99,027	

(1) Percent of year expended: 25%

(2) Includes revenues and expenses for Turnouts and adjusted for carryover revenues from FY 2019/20 to FY 2020/21

**MONTHLY SUMMARY OF MINERAL AND PHYSICAL ANALYSIS
RAW WATER (RW) AND SETTLED WATER (SW)**

System Name: Central Coast Water Authority

System Number: 4210030

Treatment Plant Name: Polonio Pass Water Treatment Plant

September 2020

Date:	RW pH (SU)	RW Turbidity (NTU)	SW Turbidity (NTU)	RW Odor (TON)	RW Total Coliform (MPN)	RW E. Coli (MPN)	RW Cl- (mg/L)	RW Alkalinity (mg/L)		RW Hardness (mg/L)		RW E.C. (uS/cm)	RW TOC (mg/L)
								Total	Phenol	Total	Ca		
1	8.68	3.05	0.39	1.5			60	67	6	79	38		
2	8.75	2.72	0.34	1.5			61	66	7	78	38		2.8
3	8.78	2.78	0.50	1.5			62	67	9	78	38		
4	8.72	3.48	0.44	1.0			62	68	7	79	41		
5	8.62	3.17	0.35	1.0			63	67	4	81	38		
6	8.45	3.43	0.34	1.5			64	67	2	80	38		
7	8.33	3.20	0.30	1.5	>2,419.60	6	67	65	1	79	38		
8	8.40	3.23	0.32	1.5			69	66	2	77	36	396	
9	8.29	3.03	0.35	1.0			69	67	1	78	35		
10	8.13	2.93	0.26	1.0			75	67	0	78	36		
11	8.17	2.80	0.24	1.5			73	68	0	79	37		
12	7.99	2.82	0.24	2.0			76	70	0	77	36		
13	8.05	2.73	0.24	1.0			76	69	0	79	37		
14	8.24	3.08	0.23	1.0	1046	2	79	68	0	84	38	442	
15	8.42	2.73	0.24	1.5			78	70	2	81	39		
16	8.41	2.67	0.25	1.5			82	70	1	83	38		
17	8.39	2.50	0.29	1.5			83	70	0	83	40		
18	8.29	2.10	0.32	1.0			85	71	0	86	39		
19	8.23	1.92	0.29	1.0			86	75	0	87	41		
20	8.33	1.72	0.24	1.0			87	71	1	84	41		
21	8.47	1.45	0.30	1.5	365	1	87	74	5	89	42	496	
22	8.55	1.55	0.26	1.0			94	74	4	90	40		
23	8.53	1.35	0.26	1.0			95	75	4	92	43		
24	8.50	1.47	0.40	1.0			98	75	3	95	44		
25	8.52	1.42	0.30	1.0			99	73	4	97	43		
26	8.52	1.38	0.32	1.0			102	76	4	97	43		
27	8.52	1.62	0.30	1.0			105	77	4	97	42		
28	8.50	1.37	0.26	1.0	172	2	109	74	4	100	45	566	
29	8.54	1.32	0.28	1.0			106	80	5	95	44		
30	8.53	1.60	0.29	1.0			113	80	5	94	42		
Avg	8.43	2.35	0.30	1.2	528	3	82	71	3	85	40	475	2.8

**MONTHLY SUMMARY OF MINERAL AND PHYSICAL ANALYSIS
TREATED WATER (TW) & CLEARWELL (CW)**

System Name: Central Coast Water Authority

System Number: 4210030


Treatment Plant Name: Polonio Pass Water Treatment Plant

September 2020

Date:	TW pH (SU)	TW Turbidity (NTU)	Filter Rate (gpm/ft ²)	CW Odor (TON)	TW Total Coliform	CW Cl- (mg/L)	CW Total Alk (mg/L)	CW Hardness (mg/L)		TW Chlorine (mg/L)		CCB3 Chlorine Free (mg/L)	TW NH3-N (mg/L)		(CCB3 Cl2 Free) / (TW NH3-N Total)	CW E.C. (uS/cm)	TW TOC (mg/L)
								Total	Ca	Total	Free		Total	Free			
1	8.44	0.05	4.18	0.0	ABSENT	64	61	83	39	3.37	0.00	3.46	0.63	0.00	5.5		
2	8.42	0.06	4.49	0.0	ABSENT	64	60	79	39	3.34	0.00	3.38	0.63	0.00	5.4		1.4
3	8.43	0.06	4.67	0.0	ABSENT	65	60	78	38	3.37	0.00	3.42	0.64	0.00	5.3		
4	8.40	0.06	4.85	0.0	ABSENT	65	60	78	43	3.43	0.00	3.45	0.65	0.00	5.3		
5	8.45	0.06	4.55	0.0	ABSENT	65	60	80	38	3.43	0.00	3.47	0.64	0.00	5.4		
6	8.45	0.06	3.95	0.0	ABSENT	68	62	79	41	3.48	0.00	3.49	0.65	0.00	5.4		
7	8.40	0.06	3.89	0.0	ABSENT	69	64	78	39	3.48	0.00	3.44	0.65	0.00	5.3		
8	8.42	0.06	3.60	0.0	ABSENT	71	64	76	33	3.47	0.00	3.38	0.66	0.00	5.1	430	
9	8.42	0.06	3.86	0.0	ABSENT	70	65	78	34	3.52	0.00	3.40	0.65	0.00	5.2		
10	8.45	0.06	4.13	0.0	ABSENT	73	64	77	35	3.44	0.00	3.33	0.66	0.00	5.0		
11	8.38	0.05	4.19	0.0	ABSENT	76	66	78	36	3.45	0.00	3.40	0.66	0.00	5.2		
12	8.42	0.05	4.37	0.0	ABSENT	78	67	78	38	3.44	0.00	3.37	0.64	0.00	5.3		
13	8.47	0.05	4.49	0.0	ABSENT	78	67	80	37	3.41	0.00	3.33	0.64	0.00	5.2		
14	8.49	0.05	4.19	0.0	ABSENT	78	65	81	37	3.38	0.00	3.28	0.64	0.00	5.1	467	
15	8.33	0.06	3.88	0.0	ABSENT	82	66	80	37	3.30	0.00	3.27	0.61	0.00	5.4		
16	8.46	0.06	3.73	0.0	ABSENT	86	66	81	38	3.33	0.00	3.48	0.61	0.00	5.7		
17	8.30	0.06	3.34	0.0	ABSENT	86	67	82	38	3.33	0.00	3.39	0.63	0.00	5.4		
18	8.35	0.06	4.07	0.0	ABSENT	89	65	84	39	3.37	0.00	3.45	0.63	0.00	5.5		
19	8.39	0.06	4.04	0.0	ABSENT	90	70	83	39	3.38	0.00	3.43	0.65	0.00	5.3		
20	8.39	0.06	3.88	0.0	ABSENT	91	67	85	39	3.43	0.00	3.44	0.64	0.00	5.4		
21	8.29	0.06	3.88	0.0	ABSENT	92	68	88	41	3.41	0.00	3.48	0.63	0.00	5.5	526	
22	8.44	0.06	3.88	0.0	ABSENT	96	68	90	39	3.57	0.00	3.50	0.66	0.00	5.3		
23	8.43	0.06	4.08	0.0	ABSENT	95	68	90	40	3.58	0.00	3.48	0.69	0.00	5.0		
24	8.39	0.06	4.13	0.0	ABSENT	98	70	95	41	3.45	0.00	3.37	0.64	0.00	5.3		
25	8.42	0.06	4.13	0.0	ABSENT	101	69	95	42	3.45	0.00	3.32	0.64	0.00	5.2		
26	8.47	0.06	3.88	0.0	ABSENT	103	69	97	42	3.40	0.00	3.30	0.65	0.00	5.1		
27	8.46	0.06	3.88	0.0	ABSENT	107	68	97	44	3.45	0.00	3.32	0.63	0.00	5.3		
28	8.41	0.06	4.06	0.0	ABSENT	111	69	100	44	3.40	0.00	3.37	0.62	0.00	5.4	594	
29	8.39	0.06	4.25	0.0	ABSENT	111	72	95	42	3.52	0.00	3.41	0.65	0.00	5.2		
30	8.48	0.06	4.63	0.0	ABSENT	116	74	93	44	3.45	0.00	3.43	0.64	0.00	5.4		
Avg	8.41	0.06	4.11	0.00		84	66	85	39	3.43	0.00	3.40	0.64	0.00	5.3	504	1.40


Shandon T.O. - SWP Deliveries in Year 2020

Month	Requested Delivery	Actual Delivery	Allocation Available
Jan	0	0	
Feb	0	0	
Mar	0	0	
Apr	0	0	
May	0	0	
Jun	0	0	
Jul	0	0	
Aug	0	0	
Sep	0	0	
Oct	0	0	
Nov	0	0	
Dec	0	0	
Total	0	0	




Chorro Valley T.O. - SWP Deliveries in Year 2020

Month	Requested Delivery	Actual Delivery	Allocation Available
Jan	184	151	
Feb	184	156	
Mar	185	156	
Apr	185	158	
May	185	174	
Jun	185	186	
Jul	185	193	
Aug	185	206	
Sep	185	193	
Oct	185	0	
Nov	184	0	
Dec	184	0	
Total	2216	1573	




Lopez T.O. - SWP Deliveries in Year 2020

Month	Requested Delivery	Actual Delivery	Allocation Available
Jan	19	70	
Feb	10	66	
Mar	32	70	
Apr	55	68	
May	85	70	
Jun	88	67	
Jul	119	70	
Aug	137	72	
Sep	113	68	
Oct	128		
Nov	78		
Dec	60		
Total	918	621	




Guadalupe - SWP Deliveries in Year 2020

Month	Requested Delivery	Actual Delivery	Allocation Available
Jan	39	58	
Feb	52	19	
Mar	48	21	
Apr	51	20	
May	61	21	
Jun	52	24	
Jul	46	25	
Aug	45	26	
Sep	49	6	
Oct	53	0	
Nov	33	0	
Dec	66	0	
Total	595	220	




Santa Maria - SWP Deliveries in Year 2020

Month	Requested Delivery	Actual Delivery	Allocation Available
Jan	800	330	
Feb	765	520	
Mar	796	528	
Apr	928	484	
May	1091	567	
Jun	1161	520	
Jul	1262	604	
Aug	1239	614	
Sep	1177	525	
Oct	1026		
Nov	811		
Dec	920		
Total	11976	4692	




Golden State - SWP Deliveries in Year 2020

Month	Requested Delivery	Actual Delivery	Allocation Available
Jan	0	0	
Feb	41	5	
Mar	49	0	
Apr	37	0	
May	64	8	
Jun	80	16	
Jul	29	16	
Aug	37	5	
Sep	45	27	
Oct	50		
Nov	40		
Dec	30		
Total	502	77	




VAFB - SWP Deliveries in Year 2020

Month	Requested Delivery	Actual Delivery	Allocation Available
Jan	160	191	
Feb	164	214	
Mar	163	219	
Apr	163	200	
May	189	264	
Jun	256	299	
Jul	240	312	
Aug	245	297	
Sep	267	281	
Oct	208		
Nov	147		
Dec	183		
Total	2385	2277	




Buellton - SWP Deliveries in Year 2020

Month	Requested Delivery	Actual Delivery	Allocation Available
Jan	22	11	
Feb	35	13	
Mar	48	14	
Apr	40	13	
May	36	26	
Jun	33	57	
Jul	33	69	
Aug	31	43	
Sep	26	53	
Oct	37		
Nov	17		
Dec	41		
Total	399	299	




Santa Ynez - Solvang Only - SWP Deliveries in Year 2020

Month	Requested Delivery	Actual Delivery	Allocation Available
Jan	54	38	
Feb	34	46	
Mar	58	52	
Apr	72	46	
May	86	54	
Jun	90	71	
Jul	105	82	
Aug	121	96	
Sep	116	94	
Oct	93		
Nov	27		
Dec	32		
Total	888	579	




Santa Ynez (Without Solvang) - SWP Deliveries in Year 2020

Month	Scheduled State Water Delivery	Scheduled Exchange Water	Total Sch'd State & Exch. Water Delivery	Actual State Water Delivery	Actual Exchange Water Delivery	Total Actual State & Exch. Water Delivery	Allocation Available
Jan	0	0	0	0	0	0	
Feb	0	0	0	0	0	0	
Mar	0	100	100	0	0	0	
Apr	0	175	175	0	0	0	
May	0	336	336	0	204	204	
Jun	0	395	395	0	307	307	
Jul	0	465	465	0	360	360	
Aug	0	485	485	0	406	406	
Sep	0	455	455	0	338	338	
Oct	0	175	175	0	0	0	
Nov	0	40	40	0	0	0	
Dec	0	0	0	0	0	0	
Total	0	2626	2626	0	1615	1615	




Goleta - SWP Deliveries in Year 2020

Month	Scheduled State Water Delivery	Scheduled Exchange Water	Total Schl'd State & Exch. Water Delivery	Actual State Water Delivery	Actual Exchange Water Delivery	Total Actual State & Exch. Water Delivery	Allocation Available
Jan	0	0	0	0	0	0	
Feb	0	0	0	0	0	0	
Mar	0	-36	-36	0	0	0	
Apr	0	-63	-63	0	0	0	
May	0	-121	-120.96	0	73	73	
Jun	0	-142	-142.2	0	110	110	
Jul	0	-167	-167.4	0	130	130	
Aug	0	-175	-174.6	0	146	146	
Sep	0	-164	-163.8	0	122	122	
Oct	0	-63	-63				
Nov	0	-14	-14.4				
Dec	0	0	0				
Total	0	-945	-945	0	581	581	




Morehart Land - SWP Deliveries in Year 2020

Month	Requested Delivery	Actual Delivery	Allocation Available
Jan	2	0	
Feb	2	4	
Mar	2	2	
Apr	3	3	
May	3	3	
Jun	5	5	
Jul	7	3	
Aug	6	10	
Sep	7	7	
Oct	3	0	
Nov	2	0	
Dec	7	0	
Total	49	37	




La Cumbre - SWP Deliveries in Year 2020

Month	Requested Delivery	Actual Delivery	Allocation Available
Jan	94	143	
Feb	110	0	
Mar	111	52	
Apr	75	30	
May	78	45	
Jun	61	148	
Jul	38	272	
Aug	36	70	
Sep	36	15	
Oct	69		
Nov	34		
Dec	73		
Total	815	775	




Raytheon (SBRC) - SWP Deliveries in Year 2020

Month	Requested Delivery	Actual Delivery	Allocation Available
Jan	2	0	
Feb	2	0	
Mar	6	4	
Apr	5	3	
May	4	3	
Jun	3	2	
Jul	2	0	
Aug	2	4	
Sep	0	0	
Oct	0	0	
Nov	2	0	
Dec	4	0	
Total	31	16	




Santa Barbara - SWP Deliveries in Year 2020

Month	Scheduled State Water Delivery	Scheduled Exchange Water	Total Schl'd State & Exch. Water Delivery	Actual State Water Delivery	Actual Exchange Water Delivery	Total Actual State & Exch. Water Delivery	Allocation Available
Jan	377	0	377	0	0	0	
Feb	331	0	331.37	0	0	0	
Mar	356	-24	332.49	0	0	0	
Apr	346	-42	303.98	0	0	0	
May	314	-81	233.37	0	49	49	
Jun	277	-95	182.32	0	74	74	
Jul	225	-112	112.92	0	86	86	
Aug	225	-116	108.71	0	97	97	
Sep	218	-109	108.44	0	81	81	
Oct	248	-42	205.99				
Nov	111	-10	101.18				
Dec	256	0	256.18				
Total	3285	-630	2654	0	387	387	




Montecito - SWP Deliveries in Year 2020

Month	Scheduled State Water Delivery	Scheduled Exchange Water	Total Schl'd State & Exch. Water Delivery	Actual State Water Delivery	Actual Exchange Water Delivery	Total Actual State & Exch. Water Delivery	Allocation Available
Jan	377	0	377	0	0	0	
Feb	331	0	331.37	0	0	0	
Mar	356	-24	332.49	0	0	0	
Apr	346	-42	303.98	0	0	0	
May	314	-81	233.37	0	49	49	
Jun	277	-95	182.32	0	74	74	
Jul	225	-112	112.92	0	86	86	
Aug	225	-116	108.71	0	98	98	
Sep	218	-109	108.44	0	81	81	
Oct	248	-42	205.99				
Nov	111	-10	101.18				
Dec	256	0	256.18				
Total	3285	-630	2654	0	388	388	




Carpinteria - SWP Deliveries in Year 2020

Month	Scheduled State Water Delivery	Scheduled Exchange Water	Total Schl'd State & Exch. Water Delivery	Actual State Water Delivery	Actual Exchange Water Delivery	Total Actual State & Exch. Water Delivery	Allocation Available
Jan	252	0	252	0	0	0	
Feb	221	0	220.91	0	0	0	
Mar	238	-16	221.66	0	0	0	
Apr	231	-28	202.66	0	0	0	
May	209	-54	155.58	0	33	33	
Jun	185	-63	121.55	0	49	49	
Jul	150	-74	75.277	0	58	58	
Aug	150	-78	72.472	0	65	65	
Sep	145	-73	72.295	0	54	54	
Oct	165	-28	137.33				
Nov	74	-6	67.454				
Dec	124	0	124.06				
Total	2143	-420	1723	0	259	259	




Total SB County - SWP Deliveries in Year 2020

Month	Requested Delivery	Actual Delivery
Jan	2,180	771
Feb	2,089	821
Mar	2,248	892
Apr	2,429	799
May	2,410	1,195
Jun	2,422	1,449
Jul	2,372	1,743
Aug	2,451	1,571
Sep	2,353	1,346
Oct	2,566	
Nov	1,534	
Dec	2,377	
Total	27,431	10,587



Total SB and SLO County - SWP Deliveries in Year 2020

Month	Requested Delivery	Actual Delivery
Jan	2,383	992
Feb	2,283	1,043
Mar	2,465	1,118
Apr	2,669	1,025
May	2,680	1,439
Jun	2,695	1,702
Jul	2,676	2,006
Aug	2,773	1,849
Sep	2,651	1,607
Oct	2,879	
Nov	1,796	
Dec	2,621	
Total	30,565	12,781





CENTRAL COAST WATER AUTHORITY

MEMORANDUM

October 14, 2020

TO: CCWA Board of Directors

FROM: Ray Stokes
Executive Director

SUBJECT: Consider Resolution No. 20-01 (1) Approving Amendment No. 21 (Water Management Amendment) to the Water Supply Contract Between The State Of California Department Of Water Resources And Santa Barbara County Flood Control And Water Conservation District; and (2) Making Responsible Agency Findings Pursuant To CEQA For The Final Environmental Impact Report For Amendment No. 21, And Adopting CEQA Findings And Statement Of Overriding Considerations

SUMMARY

CCWA has a long term water supply contract (SWP Contract) with the State of California Department of Water Resources (DWR) for the delivery of State Water Project (SWP) water.¹ Under the existing SWP Contract, water transfers are permitted in a limited and very specific manner, resulting in their infrequent use. In addition, while the existing SWP Contract allows for bona fide exchanges of water, it lacks specificity regarding the parameters of such exchanges. Consequently, public water agencies that have SWP Contracts with DWR (PWAs) have relied upon DWR's case by case application, which provides less certainty for planning purposes.

Given changes in hydrology and further constraints placed on DWR's operation of the SWP and to provide flexibility in the future, PWAs and DWR conducted a series of public negotiations with the goal of agreeing on concepts to supplement and clarify the existing water transfer and exchange provisions of the SWP Contracts to provide improved water management. In a December 2017 Notice to Contractors, DWR indicated its desire to supplement and clarify the water management tools through this public process. In June 2018, PWAs and DWR agreed upon an Agreement in Principle (AIP), which included specific principles to accomplish this goal. These principles included clarifying existing practices for exchanges, providing new flexibility for single and multi-year non-permanent water transfers, allowing PWAs to set terms of compensation for transfers and exchanges, providing for the limited transfer of carryover and Article 21 water, and adding provisions to ensure transparency, among some others. In October 2018, a Draft Environmental Impact Report (DEIR) was circulated for the proposed project.

In addition, the AIP at the time included certain cost allocation sections for the California WaterFix project (WaterFix). In early 2019, the Governor decided not to move forward with

¹ The SWP Contract was executed in 1963 by the Santa Barbara County Flood Control and Water Conservation District (District) and DWR. On November 12, 1991, the District and CCWA entered into the Transfer of Financial Responsibility Agreement whereby CCWA assumed full responsibility for all of the District's obligations pursuant to the SWP Contract. However, the District remains the contracting party to the SWP Contract.

WaterFix and DWR rescinded its approvals of the project. After this shift the PWAs and DWR held a public negotiation and agreed to remove the WaterFix cost allocation sections from AIP, but to keep all of the water management provisions in the AIP. The AIP was finalized on May 20, 2019. DWR decided to amend and recirculate the DEIR. In February 2020, DWR published the Partially Recirculated DEIR for the State Water Project Supply Contract Amendments for Water Management (Project) and in August 2020, DWR certified the Final EIR for the Project.

The proposed amendments to the SWP Contract for consideration by the Board of Directors are based on the AIP, which has been converted into contract amendment language developed by PWA and DWR attorneys. If approved by the Board, the proposed amendment would be effective when 24 of the SWP PWAs execute the amendment. The proposed contract amendment – **“Amendment No. 21 (Water Management Amendment) to the SWP Contract”** – is attached as **Exhibit B** to the proposed Resolution No. 20-01 for consideration by the Board.

DISCUSSION

Background

The SWP Contract has been amended nineteen (19) times; most recently in 2003.² The last update to the water management rules governing SWP operations was in 1994.

Existing article 56(d) of the SWP Contract provides the only mechanism for non-permanent transfers of SWP water between PWAs. This mechanism is called the Turnback Pool. As indicated above, it allows transfers in a limited and specific manner and it is rarely utilized. In addition, Section 56(f) allows PWAs to enter into bona fide exchanges of water with other PWAs, but it lacks specificity regarding the parameters. As a result, DWR has applied Section 56(f) on a case by case basis, which has provided less certainty for PWA planning purposes.

Consequently, DWR and the PWAs worked together to find solutions to develop water supply management practices to enhance management flexibility for SWP water supplies in a changing environment. The proposed contract amendment for the Board’s consideration supplements and clarifies terms of the SWP water supply contract related to water transfers and exchanges within the SWP service area to improve water management capabilities and options. The proposed amendment does not increase SWP diversions or change SWP operations.

Transfers

Specifically, the proposed contract amendment does the following, among other things, regarding transfers:

- Removes the Turnback Pool language from the contract.
- Creates new flexibility for non-permanent transfers, including allowing PWAs to transfer water to other PWAs outside their service area, to determine the duration (either single or multi-year) and terms of compensation for transfers, to execute Transfer Packages (2 or more transfer agreements between the same PWAs), and to transfer water stored outside their service territory directly to other PWAs.
- Requires certain conditions be met to avoid harm to the SWP and other PWAs.
- Requires DWR approval based on satisfaction of such conditions.

² Amendment No. 20 to the SWP Contract is the Contract Extension Amendment which is not yet effective.

- Permits PWAs to transfer Article 21 water with DWR approval after a demonstration of special need.
- Allows PWAs to transfer or exchange up to 50% of their carryover water.
- Adds provisions to ensure transparency.
- Provides for a dispute resolution process for non-participating PWAs who feel they may be adversely impacted by a transfer.

Exchanges

The proposed contract amendment does the following, among other things, with regards to exchanges of water:

- Establishes clear criteria for exchanges to provide more clarity.
- Sets exchange ratios based on Annual Table A water allocation percentages, up to 5 to 1.
- Sets the maximum cost compensation for an exchange.
- Allows exchanges to be carried out over a 10 year period (meaning water could be returned over 10 years).
- Permits the exchange or transfer of up to 50% of PWAs carryover water.
- Requires certain conditions to be met to avoid harm to the SWP and other PWAs.
- Adds provisions to ensure transparency.
- Provides for a dispute resolution process for non-participating PWAs who feel they may be adversely impacted by an exchange.

In addition to the above, the proposed amendment permits PWAs to participate in multiple transfers or exchanges each year, as well as to be both buyers and sellers in the same year. PWAs may also petition DWR for exceptions to the some of the above criteria upon a demonstration of special needs or circumstances. Overall, the proposed amendments provide improved flexibility for PWAs to utilize water transfers and exchanges to better manage their SWP water supplies in a dynamic environment.

Proposed Amendment Implementation Schedule

The proposed contract amendment to the SWP Contract is a uniform amendment that all PWAs are considering. Pursuant to the terms of the proposed amendment, it will not go into effect until the last day of the month after 24 PWAs have executed the contract amendment. If 24 or more PWAs have not executed the amendment by February 28, 2021, DWR may decide in consultation with those PWAs who have executed it whether to allow the amendment to take effect.

Compliance with CEQA

DWR, Lead Agency

On February 28, 2020, DWR published the 2020 Partially Recirculated DEIR for the Project. The Partially Recirculated DEIR was circulated for 94 days through June 1, 2020. On August 25, 2018, DWR certified the Final EIR for the Project. The Final EIR determined that the Project would have significant and unavoidable impacts to groundwater hydrology and water quality, and cumulatively considerable and unavoidable impacts to groundwater supplies and subsidence. As such, DWR adopted CEQA Findings of Fact and Statement of Overriding Considerations for the Project. On August 28, 2020, DWR filed a Notice of Determination for the Project. The Final EIR and CEQA Findings of Fact and Statement of Overriding

Considerations comply with CEQA. DWR's Notice of Determination, Partially Recirculated DEIR, and Final EIR can be found on the official DWR website at: <https://water.ca.gov/News/Public-Notices/2020/August/SWP-Water-Supply-Contract-EIR>. **DWR's CEQA Findings and Statement of Overriding Considerations** is attached as **Exhibit A** to proposed Resolution 20-01 for the Board's review and consideration.

CCWA, Responsible Agency

Before approving the proposed amendment to the SWP Contract, CCWA, as a Responsible Agency under CEQA, is required to certify that it has reviewed and considered the information in the certified Final EIR for the Project. In addition, because the certified Final EIR identified significant and unavoidable impacts to the environment, CCWA must adopt CEQA Findings of Fact and Statement of Overriding Considerations.

Pursuant to the authority delegated to Staff pursuant to CCWA Resolution No. 15-01 (CCWA CEQA Guidelines), Staff has prepared the **CEQA Findings of Fact and Statement of Overriding Considerations** which is attached as **Exhibit C** to the proposed Resolution 20-01 for the Board's review and consideration.

CCWA Implementing Policies and Procedures

Staff anticipates that the Board's approval of the proposed amendment may require that CCWA adopt policies and procedures to administer and implement the proposed amendment within CCWA. For example:

1. **Due Diligence:** In the event that CCWA proposes an exchange or transfer pursuant to the proposed amendment, CCWA must certify to DWR that the proposed exchange or transfer will not negatively impact either DWR or CCWA's ability to meet their demand or have a negative financial impact on DWR or CCWA. Accordingly, CCWA would need to obtain certification from the project participants proposing the exchange or transfer.
2. **Stored Water/Carryover Water:** Similarly, in the event that a CCWA project participant proposes to exchange or transfer more than 50% of its carryover water, CCWA must certify to DWR that the transaction will not prevent the participant from meeting critical water supply needs during a proscribed period. Accordingly, CCWA would need to obtain certification from the project participants proposing the exchange or transfer.
3. **Transfer of Article 21 Water:** The proposed amendment allows for the transfer of Article 21 with DWR approval. Article 21 is allocated on a real-time basis, meaning if DWR declares Article 21 to be available, it is taken in real-time. Historically, CCWA has allocated Article 21 to CCWA participants that are actually taking SWP water at the time. It may be appropriate to develop policies and procedures regarding any CCWA participant's election to transfer any Article 21 water allocated to them.
4. **Long-Term Transfers:** The proposed amendment will allow for the long-term transfer of Table A amount for the duration of the term of the SWP Contract. Procedures may be required to clarify how this option may be implemented consistent with CCWA's Water Supply Agreements with each CCWA participant.
5. **Exchange/Transfers:** To accommodate concurrent exchanges and transfers where CCWA participants are acting as buyers and sellers, CCWA will need to develop a program to administer these transactions. CCWA's Supplemental Water Purchase

Program only addresses transactions whereby one or more CCWA participants are the buyer.

FINANCIAL CONSIDERATIONS

N/A

RECOMMENDATION

Staff recommends:

- A. Board approval of Resolution No. 20-01:
 - (1) Approving Amendment No. 21 (Water Management Amendment) To The Water Supply Contract Between The State Of California Department Of Water Resources And Santa Barbara County Flood Control And Water Conservation District; And
 - (2) Making Responsible Agency Findings Pursuant To CEQA For The Final Environmental Impact Report For Amendment No. 21, And Adopting CEQA Findings And Statement Of Overriding Considerations
- 2. Board direction to Staff to prepare policies and procedures necessary or convenient to implement the proposed amendment for consideration by the Board at a future meeting.

Attachment:

Resolution No. 20-01

Exhibits:

- A. DWR's CEQA Findings of Fact and Statement of Overriding Considerations
- B. Amendment No. 21 (The Water Management Amendment)
- C. CCWA's CEQA Findings of Fact and Statement of Overriding Considerations

RESOLUTION NO. 20-01

**A RESOLUTION OF THE BOARD OF DIRECTORS OF
THE CENTRAL COAST WATER AUTHORITY
(1) APPROVING AMENDMENT NO. 21 (WATER MANAGEMENT
AMENDMENT) TO THE WATER SUPPLY CONTRACT BETWEEN THE
STATE OF CALIFORNIA DEPARTMENT OF WATER RESOURCES
AND SANTA BARBARA COUNTY FLOOD CONTROL AND WATER
CONSERVATION DISTRICT; AND
(2) MAKING RESPONSIBLE AGENCY FINDINGS PURSUANT TO
CEQA FOR THE FINAL ENVIRONMENTAL IMPACT REPORT FOR
AMENDMENT NO. 21, AND ADOPTING CEQA FINDINGS AND
STATEMENT OF OVERRIDING CONSIDERATIONS**

WHEREAS, in 1963, following the voters' 1960 approval of the California Water Resources Development Bond Act, the Santa Barbara County Flood Control and Water Conservation District (District) and the Department of Water Resources (DWR), acting on behalf of the State of California, executed that certain agreement dated February 26, 1963 for the supply and delivery of State Water Project (SWP) water to Santa Barbara County (State SWP Contract); and

WHEREAS, the SWP Contract is substantially identical to agreements between DWR and 28 other public water agencies in California;

WHEREAS, on November 12, 1991, the District and the Central Coast Water Authority (Authority) entered into the Transfer of Financial Responsibility Agreement whereby the Authority assumed full responsibility for all of the District's obligations pursuant to the SWP Contract, and said agreement also contemplates a future assignment of the SWP Contract to the Authority; and

WHEREAS, to date, the SWP Contract has not been assigned to the Authority, therefore the District remains the contracting party to the SWP Contract; and

WHEREAS, to date, the SWP Contract has been amended on numerous occasions since its execution; and

WHEREAS, under the existing SWP Contract, water transfers are permitted in a limited and very specific manner, resulting in their infrequent use, and the parameters for exchanges of water, while allowed, lack specificity and clear guidance, which impede planning; and

WHEREAS, the Authority, along with other public water agencies with SWP Contracts (PWAs) conducted a series of public negotiations with DWR with the goal of agreeing on concepts to supplement and clarify the existing water transfer and exchange provisions of the SWP Contracts to provide improved water management; and

WHEREAS, in June 2018, PWAs and DWR agreed upon an Agreement in Principle (AIP), which included specific principles to clarify and enhance the terms of the

SWP water supply contract related to water transfers and exchanges to improve water management capabilities and PWA options; and

WHEREAS, in October 2018, DWR circulated a Draft Environmental Impact Report (2018 DEIR) that considered impacts related to the AIP, which at that time also included certain cost allocation sections for the California WaterFix project (WaterFix); and

WHEREAS, in early 2019, Governor Newsom decided not to move forward with California WaterFix and DWR rescinded its approvals of the AIP project. The PWAs and DWR subsequently held a public negotiation and agreed to remove the WaterFix cost allocation sections from AIP, but to retain the water management provisions, and the AIP was finalized on May 20, 2019; and

WHEREAS, the proposed amendment to the SWP Contract for consideration by the Board (Amendment No. 21 – The Water Management Amendment) articulates in contract language the principles of the final AIP; and

WHEREAS, DWR is the lead agency pursuant to the California Environmental Quality Act (CEQA) for the Amendment No. 21 project which is called the “State Water Project Supply Contract Amendments for Water Management” (Project), pursuant to CEQA (Pub. Res. Code §§ 21000, et seq.) and the State CEQA Guidelines (14 CCR §§ 15000, et seq.). As the lead agency, DWR is responsible for assuring that an adequate analysis of the Project’s environmental impacts is conducted; and

WHEREAS, on February 28, 2020, DWR issued a Partially Recirculated Draft Environmental Impact Report (DEIR) for the Project, which was circulated for public review for 94 days through June 1, 2020; and

WHEREAS, DWR prepared a Final Environmental Impact Report for the Project, which included the DEIR, appendices, comments on the DEIR, responses to comments on the DEIR, and revisions to the DEIR (collectively, FEIR); and

WHEREAS, on August 25, 2020, DWR certified the FEIR, adopted CEQA Findings of Fact and Statement of Overriding Considerations and approved the Project; and

WHEREAS, the FEIR concluded that the Project would have significant and unavoidable impacts to groundwater hydrology and water quality, and cumulatively considerable and unavoidable impacts to groundwater supplies and subsidence. As such, DWR adopted CEQA Findings of Fact and Statement of Overriding Considerations for the Project (attached as **Exhibit “A”**); and

WHEREAS, the Authority and DWR propose to amend the SWP Contract by approving Amendment No. 21 (The Water Management Amendment) attached as **Exhibit “B”** to this Resolution, the environmental effects of which were studied in the FEIR; and

WHEREAS, the Authority is a responsible agency and has more limited approval and implementing authority over Amendment No. 21 than does the DWR; and

WHEREAS, the Board of Directors of the Authority, at its scheduled public meetings on September 24, 2020 and October 22, 2020 independently reviewed and

considered the FEIR, DWR's CEQA Findings of Fact and DWR's Statement of Overriding Considerations, and other related documents and evidence in the record before it; and

WHEREAS, all the procedures of CEQA and the State CEQA Guidelines have been met, and the FEIR prepared in connection with the Project is sufficiently detailed so that all the potentially significant effects of the Project and the Amendment on the environment and measures feasible to avoid or substantially lessen such effects have been evaluated in accordance with CEQA; and

WHEREAS, as contained herein, the Authority has endeavored in good faith to set forth the basis for its decision on the Amendment.

NOW, THEREFORE, BE IT RESOLVED as follows:

SECTION 1.

The above recitals are true and correct and are incorporated herein as though set forth in full.

SECTION 2.

Based on the findings set forth herein, the Board of Directors approves Amendment No. 21 (The Water Management Amendment) to the SWP Contract, which is attached hereto and incorporated herein as **Exhibit "B."** This resolution constitutes complete and final agreement by the Authority to be bound by the terms of Amendment No. 21 (The Water Management Amendment) to the Contract and this Resolution shall take effect immediately.

SECTION 3.

The Board of Directors hereby authorizes the Executive Director to transmit Amendment No. 21 to the District for the District's execution and delivery of Amendment No. 21 to DWR in accordance with the provisions of the Transfer of Financial Responsibility Agreement between the Authority and the District.

SECTION 4.

A. The FEIR prepared for the Project, which can be found at <https://water.ca.gov/News/Public-Notices/2020/August/SWP-Water-Supply-Contract-EIR>, is hereby received by the Board and incorporated herein by this reference.

B. Pursuant to State CEQA Guidelines section 15096 and in its limited role as a responsible agency under CEQA, the Board of Directors has reviewed and considered the FEIR, as well as DWR's certification of the FEIR and approval of the Project, and DWR's CEQA Findings of Fact and Statement of Overriding Considerations, and the Board incorporates those items herein by reference. As to those resources within the Authority's power and authority as a responsible agency under CEQA, the Board exercises its independent judgment and finds that the FEIR contains a complete, objective and accurate reporting of the Amendment's impacts.

C. Exercising its independent judgment, the Board adopts the CEQA Findings of Fact and Statement of Overriding Considerations, attached hereto as **Exhibit "C"** and incorporated herein by this reference. The Board further finds that there are no feasible mitigation measures or alternatives within its authority that would substantially lessen or avoid any significant effects that the Project would have on the environment, for the reasons explained in the FEIR and in CCWA's CEQA Findings of Fact and Statement of Overriding Considerations.

D. The Board concurs with the Statement of Overriding Considerations adopted by DWR and, exercising its independent judgment, finds that, within its jurisdiction, the benefits of the Amendment outweigh the adverse environmental impacts not reduced to below a level of significance.

E. The Board hereby authorizes and directs staff to file and have posted a Notice of Determination with the County Clerk and with the State Clearinghouse within five (5) working days of the adoption of this Resolution.

F. The documents and materials that constitute the record of proceedings for this Resolution are located at Central Coast Water Authority, 255 Industrial Way, Buellton, California 93427.

– continued on next page –

I certify that the foregoing Resolution No. 20-01 was adopted by the Board of Directors of the Central Coast Water Authority at a meeting held October 22, 2020.

Eric Friedman, Chairman

[Seal]

Attest:

Elizabeth Watkins
Secretary to the Board of Directors

	VOTING PERCENTAGE	AYE	NAY	ABSTAIN	ABSENT
City of Buellton	2.21%	_____	_____	_____	_____
Carpinteria Valley Water District	7.64%	_____	_____	_____	_____
Goleta Water District	17.20%	_____	_____	_____	_____
City of Guadalupe	1.15%	_____	_____	_____	_____
Montecito Water District	9.50%	_____	_____	_____	_____
City of Santa Barbara	11.47%	_____	_____	_____	_____
City of Santa Maria	43.19%	_____	_____	_____	_____
Santa Ynez River Water Conservation District, Improvement District No. 1	7.64%	_____	_____	_____	_____

APPROVED AS TO FORM:

Brownstein Hyatt Farber Schreck LLP
General Counsel to the Central Coast Water Authority

Stephanie Osler Hastings

Exhibits:

- A. DWR's CEQA Findings of Fact and Statement of Overriding Considerations
- B. Amendment No. 21 (The Water Management Amendment)
- C. CCWA's CEQA Findings of Fact and Statement of Overriding Considerations

CEQA Findings of Fact and Statement of Overriding Considerations for the State Water Project Water Supply Contract Amendments for Water Management

Section 1. Description of the Project

The proposed project includes amending certain provisions of the State Water Resources Development System (SWRDS) Water Supply Contracts (Contracts). SWRDS (defined in Wat. Code, Section 12931), or more commonly referred to as the SWP, was enacted into law by the Burns-Porter Act, passed by the Legislature in 1959 and approved by the voters in 1960. The Department of Water Resources constructed and currently operates and maintains the SWP, a system of storage and conveyance facilities that provide water to 29 State Water Contractors known as the Public Water Agencies (PWAs)¹. The Contracts include water management provisions as the methods of delivery, storage and use of water and financial provisions for recovery of costs associated with the planning, construction, and operation and maintenance of the SWP.

DWR and the PWAs have a common interest to ensure the efficient delivery of SWP water supplies and to ensure the SWP's financial integrity. In order to address water management flexibility DWR and the PWAs agreed to the following objectives:

- Supplement and clarify terms of the SWP water supply contract that will provide greater water management regarding transfers and exchanges of SWP water supply within the SWP service area.

The proposed project would add, delete, and modify provisions of the Contracts and clarify certain terms of the Contracts that will provide greater water management regarding transfers and

¹ The State Water Project Public Water Agencies include Alameda County Flood Control and Water Conservation District (Zone 7), Alameda County Water District, Antelope Valley-East Kern Water Agency, City of Yuba City, Coachella Valley Water District, County of Butte, County of Kings, Crestline-Lake Arrowhead Water Agency, Desert Water Agency, Dudley Ridge Water District, Empire West Side Irrigation District, Kern County Water Agency, Littlerock Creek Irrigation District, The Metropolitan Water District of Southern California, Mojave Water Agency, Napa County Flood Control and Water Conservation District, Oak Flat Water District, Palmdale Water District, Plumas County Flood Control and Water Conservation District, San Bernardino Valley Municipal Water District, San Gabriel Valley Municipal Water District, San Geronio Pass Water Agency, San Luis Obispo County Flood Control and Water Conservation District, Santa Barbara County Flood Control and Water Conservation District, Santa Clara Valley Water District, Santa Clarita WA (formerly Castaic Lake WA), Solano County Water Agency, Tulare Lake Basin Water Storage District, and Ventura County Flood Control District.

exchanges of SWP water within the SWP service area. In addition, the proposed project would not build new or modify existing SWP facilities nor change any of the PWA's annual Table A amounts.² The proposed project would not change the water supply delivered by the SWP, as SWP water would continue to be delivered to the PWAs consistent with current Contract terms and all regulatory requirements. The May 20, 2019 AIP is included as Appendix A of the 2020 Partially Recirculated Draft Environmental Impact Report (RDEIR).

Section 2. Findings Required Under CEQA

CEQA requires that the lead agency adopt mitigation measures or alternatives, where feasible, to substantially lessen or avoid significant environment impacts that would otherwise occur. Mitigation measures or alternatives are not required, however, where such changes are infeasible or where the responsibility for the project lies with some other agency. (CEQA Guidelines, Section 15091, sub. (a), (b).)

With respect to a project for which significant impacts are not avoided or substantially lessened, a public agency, after adopting proper findings, may nevertheless approve the project if the agency first adopts a statement of overriding considerations setting forth the specific reasons why the agency found that the project's "benefits" rendered "acceptable" its "unavoidable adverse environmental effects." (CEQA Guidelines, Sections 15093, 15043, sub. (b); see also Pub. Resources Code, Section 21081, sub. (b).)

In seeking to effectuate the substantive policy of CEQA to substantially lessen or avoid significant environmental effects to the extent feasible, an agency, in adopting findings, need not necessarily address the feasibility of both mitigation measures and environmentally superior alternatives when contemplating approval of a proposed project with significant impacts. Where a significant impact can be mitigated to an "acceptable" level solely by the adoption of feasible mitigation measures, the agency, in drafting its findings, has no obligation to consider the feasibility of any environmentally superior alternative that could also substantially lessen or avoid that same impact — even if the alternative would render the impact less severe than would the proposed project as mitigated. (*Laurel Hills Homeowners Association v. City Council* (1978) 83 Cal.App.3d 515, 521; see also *Kings County Farm Bureau v. City of Hanford* (1990) 221 Cal.App.3d 692, 730-731; and *Laurel Heights Improvement Association v. Regents of the University of California* ("Laurel Heights I") (1988) 47 Cal.3d 376, 400-403.)

In cases in which a project's significant effects cannot be mitigated or avoided, an agency, after adopting proper findings, may nevertheless approve the project if it first adopts a statement of overriding considerations setting forth the specific reasons why the agency found that the "benefits of the project outweigh the significant effects on the environment." (Pub. Resources Code, Section 21081, sub. (b); see also, CEQA Guidelines, Sections 15043, subd. (b), 15093.)

² The maximum amount of SWP water that the PWAs can request pursuant to their individual water supply contract. annual Table A amounts also serve as a basis for allocation of some SWP costs among the contractors.

In the Statement of Overriding Considerations found at the conclusion of this exhibit, DWR identifies the benefit that, in its judgment, outweighs the significant environmental effects that the projects would cause.

The California Supreme Court has stated that “[t]he wisdom of approving ... any development project, a delicate task which requires a balancing of interests, is necessarily left to the sound discretion of the local officials and their constituents who are responsible for such decisions. The law as we interpret and apply it simply requires that those decisions be informed, and therefore balanced.” (*Citizens of Goleta* (1990) 52 Cal.3d 553, 564.)

In support of its approval of the proposed project, DWR’s findings are set forth below for the potentially significant environmental effects and alternatives of the proposed project identified in the EIR pursuant to Public Resources Code, Section 21080 and Section 15091 of the CEQA Guidelines.

These findings do not attempt to describe the full analysis of each environmental impact contained in the 2018 DEIR and 2020 RDEIR (collectively referred to in this document as the DEIR). Instead, a full explanation of these environmental findings and conclusions can be found in the DEIR and these findings hereby incorporate by reference the discussion and analysis in the DEIR supporting the determination regarding the impacts of the proposed project. In making these findings, DWR ratifies, adopts and incorporates in these findings the determinations and conclusions of the DEIR and Final EIR (FEIR) relating to environmental impacts except to the extent any such determinations and conclusions are specifically and expressly modified by these findings.

As described below and in the DEIR, there were two significant impacts identified for the proposed project and they were associated with groundwater hydrology and water quality. There were no mitigation measures identified in the DEIR to substantially lessen or avoid the potentially significant and significant groundwater resource impacts of the proposed project. Therefore, a Mitigation Monitoring and Reporting Program was not developed for the proposed project and is not included herein.

Unless otherwise specified, all page references presented herein are to the 2020 RDEIR.

2.1. Significant and Unavoidable Impacts

The following significant and potentially significant environmental impacts of the project are unavoidable and cannot be mitigated in a manner that would lessen the significant impact to below the level of significance. Notwithstanding disclosure of these impacts, DWR elects to approve the project due to overriding considerations as set forth below in Section 7, the statement of overriding considerations.

Impact Category: Groundwater Hydrology and Water Quality

Impact 5.10-1: The increase in groundwater pumping associated with changes in transfers and exchanges implemented by PWAs could substantially deplete groundwater supplies in some areas of the study area. [p. 5.10-17 – 5.10-21]

Finding. It is possible that transfers and exchanges of SWP water among the PWAs could result in benefits to groundwater levels, as transferred or exchanged water could be used instead of groundwater supplies or this water could be used for groundwater recharge. However, it is also possible that transfers and exchanges from agricultural to M&I PWAs could result in an increase in groundwater pumping resulting in a net deficit in aquifer volume or lowering the local groundwater table in some areas of the study area. DWR's conclusion is based on a program-level analysis, as there is uncertainty in the amount of groundwater use that may occur.

Because the Sustainable Groundwater Management Act (SGMA) is in the process of being implemented and because the extent, location, and implementation timing of groundwater pumping associated with changes in transfers and exchanges implemented by PWAs are not known, assumptions related to the ability of SGMA to mitigate any changes in groundwater levels are speculative.

PWAs could propose feasible mitigation measures to reduce significant impacts to less than significant in some cases, although it is not possible for DWR to conclude that feasible mitigation measures would be available to avoid or mitigate significant groundwater effects in all cases. Per CEQA Guidelines Section 15091(a)(2), implementation and enforcement mitigation measures are within the responsibility and jurisdiction of another public agency and not the agency making the finding.

The extent, location, and implementation timing of groundwater pumping associated with changes in transfers and exchanges implemented by PWAs are not known. Therefore, it is concluded that the potential increase in groundwater pumping could result in a net deficit in aquifer volume or lowering the local groundwater table. **For these reasons, this impact is significant and unavoidable.**

Impact 5.10-2: The increase in groundwater pumping associated with changes in transfers and exchanges implemented by PWAs could result in subsidence in some of the study area. [p. 5.10-22 – 5.10-25]

Finding. It is possible that transfers and exchanges among the PWAs could result in benefits to groundwater levels, as transferred or exchanged water could be used instead of groundwater supplies or this water could be used for groundwater recharge. However, it is also possible that transfers and exchanges from agricultural to M&I PWAs could result in an increase in groundwater pumping in some areas of the study area causing subsidence due to a net deficit in aquifer volume or lowering the local groundwater table. Because the extent, location, and implementation timing of groundwater pumping associated with changes in transfers and exchanges implemented by PWAs are not known, it is concluded that groundwater pumping in

some areas of the study area would cause subsidence due to a net deficit in aquifer volume or lowering the local groundwater table and the impact would be potentially significant.

Because SGMA is in the process of being implemented and because the extent, location, and implementation timing of groundwater pumping associated with changes in transfers and exchanges implemented by PWAs are not known, assumptions related to the ability of SGMA to mitigate any changes in groundwater levels or related subsidence are speculative.

PWAs could propose feasible mitigation measures to reduce significant impacts to less than significant in some cases, although it is not possible for DWR to conclude that feasible mitigation measures would be available to avoid or mitigate significant groundwater effects in all cases. Per CEQA Guidelines Section 15091(a)(2), implementation and enforcement mitigation measures are within the responsibility and jurisdiction of another public agency and not the agency making the finding.

DWR has no information on specific implementation of the transfers and exchanges from the proposed project and it has no authority to implement mitigation measures in the PWA service area. **For these reasons, this impact is significant and unavoidable.**

Section 3. Cumulative Impacts

Cumulative impacts, as defined in Section 15355 of the CEQA Guidelines, refer to two or more individual effects that, when taken together, are “considerable” or that compound or increase other environmental impacts. Cumulative impacts can result from individually minor, but collectively significant, actions when added to the impacts of other closely related past, present, or reasonably foreseeable future projects. Pertinent guidance for cumulative impact analysis is provided in Section 15130 of the CEQA Guidelines.

The DEIR presents the cumulative impact analysis for the proposed project. Each impact discussion in the DEIR assesses whether the incremental effects of the proposed project could combine with similar effects of one or more of the projects identified in the 2020 RDEIR (p.6-2 – 6.14) to cause or contribute to a significant cumulative effect. If so, the analysis considers whether the incremental contribution of the proposed project would be cumulatively significant (p. 6-8 –6-14).

DWR hereby finds that implementation of the proposed project would not result in physical environmental impacts on the following resource areas: hazards and hazardous materials; noise; population, employment and housing; public services and recreation; surface water hydrology and water quality; transportation; and utilities and service systems. Therefore, these resource areas would not contribute to a cumulative effect and would not compound or increase an environmental impact of these other projects.

The cumulative impact analysis associated with the remaining resource areas (aesthetics, agriculture and forest resources, air quality, biological resources, cultural resources, energy, geology and soils, GHG, groundwater hydrology and water quality, land use and planning, and water supply) focused on six types of impacts that were identified as less than significant or

potential impacts of the proposed project that could contribute to cumulative impacts with the cumulative projects (Contract Extension Project, Monterey Amendment and Settlement Agreement, and Sustainable Groundwater Management Act Implementation) identified in the DEIR. The six types of impacts are impacts to groundwater supplies, subsidence, fallowing and changes in crop patterns, energy and Greenhouse Gas (GHG), reservoir storage, and surface water flow above or below diversions. Impacts associated with fallowing and changes in crop patterns, energy and GHG, reservoir storage, and surface water flow above or below diversions were determined to be less than significant with no mitigation required.

Related to groundwater supplies and subsidence, DWR hereby finds as follows:

Groundwater Supplies and Subsidence

Findings. The incremental contribution of the proposed project's effect on groundwater supplies and subsidence would be cumulatively considerable when viewed in connection with the effects of past projects, and current and probable future projects (as full implementation of SGMA is not anticipated until 2040 or 2042). This cumulative impact would be **significant**. PWAs may provide mitigation in their project-level analysis for exchanges and transfers. However, per CEQA Guidelines Section 15091(a)(2), implementation and enforcement mitigation measures are within the responsibility and jurisdiction of another public agency and not the agency making the finding.

Because DWR has no information on specific implementation of the transfers and exchanges from the proposed project and it has no authority to implement mitigation measures in the PWA service area, the cumulative impact would remain **significant and unavoidable**.

Section 4. Significant Irreversible Environmental Changes

According to Sections 15126, subd. (c) and 15126.2, subd. (c) of the CEQA Guidelines, an EIR is required to address any significant irreversible environmental changes that would occur should the proposed project be implemented.

The proposed project would add, delete and modify provisions of the Contracts to clarify terms of the Contracts that will provide greater water management regarding transfers and exchanges of SWP water supply within the service area. The proposed project would not build or modify existing SWP facilities nor change each PWA's contractual maximum Table A amounts. The proposed project would amend and add financial provisions to the Contracts based on the negotiated Agreements in Principle between DWR and the PWAs. Therefore, the proposed project would not result in the commitment of nonrenewable natural resources such as gravel, petroleum products, steel, and slowly renewable resources such as wood products any differently than under existing conditions, and there would be no significant irreversible environmental changes.

Section 5. Growth-Inducing Effects

The CEQA Guidelines Section 15126.2, subd. (d) requires that an EIR evaluate the growth-inducing impacts of a project. As identified in CEQA Section 15126.2(d), growth inducement is not in and of itself an “environmental impact;” however, growth can result in adverse environmental consequences. Growth inducement may constitute an adverse impact if the growth is not consistent with or accommodated by the land use plans and policies for the affected area. Local land use plans, typically General Plans, provide for land use development patterns and growth policies that allow for the “orderly” expansion of urban development supported by adequate urban public services, such as water supply, sewer service, and new roadway infrastructure. A project that would induce “disorderly” growth (i.e., a project in conflict with local land use plans) could indirectly cause adverse environmental impacts. To assess whether a project with the potential to induce growth is expected to result in significant impacts, it is important to assess the degree to which the growth associated with a project would or would not be consistent with applicable land use plans.

In California, cities and counties have primary authority³ over land use decisions, while water suppliers, through laws and agreements, are expected and usually required to provide water service if water supply is available. Approval or denial of development proposals is the responsibility of the cities and counties in the study area. Numerous laws are intended to ensure that water supply planning, including planning for water supply infrastructure, and land use planning (such as the approval of, or establishment of constraints to, development) proceed in an orderly fashion.

The proposed project would not build new or modify existing SWP facilities nor change each PWA’s contractual maximum Table A amounts. As discussed in DEIR Section 5.14, Population, Employment, and Housing, (p. 5.14-2 to 5.14-5) because there would be no new facilities built or existing facilities modified, no housing is proposed as part of the project or required as a result of it, nor would the project provide substantial new permanent employment opportunities. Therefore, the proposed project would not result in direct growth inducement.

Because the proposed project would not result in the construction of new or modification of existing water supply storage, treatment or conveyance facilities it would not remove an obstacle to growth associated with water supply.

As discussed in DEIR Section 5.3 Agricultural and Forestry Resources of the DEIR (p. 5.3-7 to 5.3-9), it is possible that transfers from agricultural to M&I PWAs could result in fallowing of agricultural lands and/or changes in crop patterns (e.g., switching from high water-using crops to low water-using crops) in the study area. It is also possible that exchange of SWP water from agricultural to M&I PWAs could occur. However, these transfers and exchanges and any associated fallowing of agricultural land and/or changes in cropping patterns in the study area would not be anticipated to change the existing agricultural land use designations because the land use would remain in agricultural use. Furthermore, additional water transfers or exchanges

³ Although cities and counties have primary authority over land use planning, there are exceptions to this such as the CEC (with permit authority and CEQA lead agency status for some thermal power plant projects) and the CPUC (with regulatory authority and CEQA lead agency status for certain utility projects).

are not expected to substantially affect the acreage of land fallowed or put into dry farming compared to existing practices for other reasons (e.g., market conditions, economic conditions, etc.). As a result, it would not be anticipated that there would be a change in land uses associated with delivery of SWP water supplies including, conversion of agricultural land uses to urban uses or increased developed uses in urban areas.

While with the proposed amendments transfers and exchanges could be more frequent and longer in duration, they would not be a permanent transfer of a PWA's annual Table A amounts; therefore, it would not represent a viable long-term source of urban water supply to support additional unplanned growth. Therefore, the proposed amendments would not result in additional water supply that could support growth over what is currently planned for in those jurisdictions and the proposed project would not result in indirect growth inducement.

Furthermore, cities and counties are responsible for considering the environmental effects of their growth and land use planning decisions (including, but not limited to, conversion of agricultural land to urban uses, loss of sensitive habitats, and increases in criteria air emissions). As new developments are proposed, or general plans adopted, local jurisdictions prepare environmental compliance documents to analyze the impacts associated with development in their jurisdiction pursuant to CEQA. The impacts of growth would be analyzed in detail in general plan EIRs and in project-level CEQA compliance documents. Mitigation measures for identified significant impacts would be the responsibility of the local jurisdictions in which the growth would occur. If identified impacts could not be mitigated to a level below the established thresholds, then the local jurisdiction would need to adopt overriding considerations.

Section 6. Alternatives

DWR has considered the project alternatives presented and analyzed in the DEIR and presented during the comment period and public hearing process. DWR finds that these alternatives are infeasible. Based on the impacts identified in the DEIR and other reasons summarized below, and as supported by substantial evidence in the record, DWR finds that approval and implementation of the proposed project as proposed is the most desirable, feasible, and appropriate action and hereby rejects the other alternatives and other combinations and/or variations of alternatives as infeasible based on consideration of the relevant factors set forth in CEQA Guidelines Section 15126.6, subdivision (f). (See also CEQA Guidelines, Section 15091, subd. (a)(3).) Each alternative and the facts supporting the finding of infeasibility of each alternative are set forth below.

Alternatives Considered and Dismissed from Further Consideration

The alternative described below was rejected for further consideration (p 7-3 – 7-4).

Implement New Water Conservation Provisions in the Contracts: Agriculture and urban water efficiency, conservation, and management measures are governed by the existing regulatory and legal requirements independent from the proposed project, including Assembly

Bill 1668 and Senate Bill 606. Additional water conservation measures in the Contracts would not provide greater water management regarding transfers and exchanges of SWP water as compared to the proposed project because water conservation is already required. Consequently, these actions are independent from the proposed project and do not meet the basic project objectives. Therefore, amending the Contracts to require implementation of agriculture and M&I water conservation measures was rejected, as these actions are required by state statute and are met by local water agencies under existing law.

Summary of Alternatives Considered

CEQA requires that an EIR describe and evaluate a range of reasonable alternatives to a project or to the location of a project that would feasibly attain most of the basic project objectives and avoid or substantially lessen significant project impacts. The purpose of the alternatives analysis is to determine whether or not a variation of the proposed project would reduce or eliminate significant project impacts within the framework of the project's basic objectives.

The alternatives considered in the DEIR include:

- Alternative 1: No Project
- Alternative 2: Reduce Table A Deliveries
- Alternative 3: Reduced Flexibility in Water Transfers/Exchanges
- Alternative 4: More Flexibility in Water Transfers/Exchanges
- Alternative 5: Only Agriculture to M&I Transfers Allowed

Alternative 1: No Project

Description

CEQA Guidelines section 15126.6, subd. (e) requires consideration of a No Project Alternative. The purpose of this alternative is to allow the decision makers to compare impacts of approving a project with impacts of not approving a project. Under the No Project Alternative, DWR takes no action, and DWR and the PWAs would continue to operate and finance the SWP under the current Contracts.

Facts in Support of Finding of Infeasibility

Alternative 1 would not meet the objective of the project because Alternative 1 does not provide greater water management regarding transfers and exchanges of SWP water supply within the SWP service area and as compared to the proposed project. In addition, impacts under Alternative 1 would be similar but greater when compared to the proposed project. Alternative 1 could result in new potentially significant impacts associated with the construction and operation of new water supply facilities that were not identified for the proposed project. In addition, if alternative sources of water are not available, then the less than significant impacts identified for the proposed project could be potentially significant.

Alternative 2: Amending Contract to Reduce Table A Deliveries

Description

Under Alternative 2, as with the proposed project, DWR and the PWAs would agree to amend the Contracts based on the May 20, 2019 AIP. However, unlike the proposed project, the Contracts would be amended to reduce annual Table A amounts proportionately for all the PWAs.

Facts in Support of Finding of Infeasibility

Alternative 2 would not meet the objectives of the project because it would cause a reduction in delivery of annual Table A amounts proportional for all PWAs and would not provide greater water management regarding transfers and exchanges. In addition, impacts under Alternative 2 would be similar but greater when compared to the proposed project. Alternative 2 could result in new potentially significant impacts associated with the construction and operation of new water supply facilities that were not identified for the proposed project. In addition, if alternative sources of water are not available, then the less than significant impacts identified for the proposed project could be potentially significant.

Alternative 3: Less Flexibility in Water Transfers/Exchanges

Description

Under Alternative 3, as with the proposed project, DWR and the PWAs would agree to amend the Contracts based on the May 20, 2019 AIP. However, unlike the proposed project, the Contracts would not be amended to modify provisions of the Contracts and clarify certain terms of the Contracts to provide greater water management regarding transfers and exchanges of SWP water supply within the SWP service area. Some increase in flexibility of exchanges and transfers would be agreed to, but not all. For example, Alternative 3 would amend the Contracts to allow PWAs to transfer carryover water in San Luis Reservoir, but only 20 percent of the carryover water (the proposed project allows for 50 percent), allow limited multi-year transfers of five years or less (the proposed project allows for up to the Contract term), and not allow use of Transfer Packages. In addition, unlike the proposed project, PWAs would transfer water based on cost compensation established by DWR. Also, under Alternative 3, the Contracts would not amend the text in Article 56(f) regarding water exchanges to add provisions, such as conducting water exchanges as buyers and sellers in the same year and increasing the compensation allowed to facilitate the exchanges. Therefore, Alternative 3 would result in a similar or slightly less amount of water transfers among the PWAs than the proposed project, due to the less flexibility in water transfers and exchanges.

Facts in Support of Finding of Infeasibility

Alternative 3 would meet the objectives of the project, but to a lesser degree because the water transfers and exchanges would not provide as much water management flexibility regarding transfers and exchanges. In addition, impacts under Alternative 3 would be similar but greater

when compared to the proposed project. Alternative 3 could result in new potentially significant impacts associated with the construction and operation of new water supply facilities that were not identified for the proposed project. In addition, if alternative sources of water are not available, then the less than significant impacts identified for the proposed project could be potentially significant.

Alternative 4: More Flexibility in Water Transfer/Exchanges

Description

Under Alternative 4, as with the proposed project, DWR and the PWAs would agree to amend the Contracts. However, unlike the proposed project, the Contracts would be amended to allow PWAs more flexibility in water transfers and exchanges. Similar to the proposed project, PWAs would be able to transfer carryover water in San Luis Reservoir, transfer water for multiple years without permanently relinquishing that portion of their Table A amounts, and transfer water in Transfer Packages. Similar to the proposed project, PWA would be able to transfer water based on terms they establish for cost compensation and duration, and store and transfer water in the same year. Unlike the proposed project that only allows for a single-year transfers associated with carryover water, Alternative 4 would allow transfers and exchanges to include up to 100 percent of a PWA's carryover in San Luis Reservoir and allow multi-year use of its carryover water in both transfers and exchanges. Similar to the proposed project, the proposed exchange provisions of the AIP would establish a larger range of return ratios in consideration of varying hydrology and also maximum compensation with respect to SWP charges and allow PWAs to conduct additional water exchanges as buyers and sellers in the same year.

Facts in Support of Finding of Infeasibility

Alternative 4 would meet the objectives of the project. In addition, Under Alternative 4 the less than significant impacts associated with changes in flow including, adverse effects to special-status fish or terrestrial species, and water supply would be similar to the proposed project. However, similar to the proposed project, there is potential for Alternative 4 to result in a net deficit in aquifer volume, lowering of the local groundwater table, or subsidence in some areas of the study area with impacts that may be significant and unavoidable.

Alternative 5: Greater Water Management – Only Agriculture to M&I Transfers Allowed

Description

Under Alternative 5, as with the proposed project, DWR and the PWAs would agree to amend the Contracts based on the May 20, 2019 AIP.

Unlike the proposed project, DWR and PWAs would amend Contract provisions to allow the transfer of Table A water only from agricultural PWAs to M&I PWAs and not change any current Contract provisions for exchanges. Transfers from M&I PWAs to M&I PWAs, M&I PWAs to agricultural PWAs, and agricultural PWAs to agricultural PWAs would not be allowed. Similar to

the proposed project, PWAs could transfer carryover water in San Luis Reservoir to PWAs, transfer water for multiple years without permanently relinquishing that portion of their Table A amounts and request DWR's approval of Transfer Package; however, unlike the proposed project, these transfers would only be from agricultural PWAs to M&I PWAs. Similar to the proposed project, Alternative 5 would revise the Contract to allow the PWAs to transfer water based on terms they establish for cost compensation and duration. An agricultural PWA would be able to store and transfer water in the same year to M&I PWAs, and transfer up to 50 percent of its carryover water, but only for a single-year transfer to an M&I PWA (i.e., a future or multi-year commitment of transferring carryover water is not allowed). Under Alternative 5, the Contracts would not be amended to modify the text in Article 56(f) regarding water exchanges to include additional provisions, such as conducting water exchanges as buyers and sellers in the same year.

Similar to the proposed project, Alternative 5 would not build new or modify existing SWP facilities nor change any of the PWA's contractual maximum Table A amounts. Also similar to the proposed project, Alternative 5 would not change the water supply delivered by the SWP as SWP water supply would continue to be delivered to the PWAs consistent with current Contracts terms, including Table A and Article 21 deliveries. Operation of the SWP under this alternative would be subject to ongoing environmental regulations including for water rights, water quality and endangered species protection, among other State and federal laws. Also similar to the proposed project, Alternative 5 would not require additional permits or approvals.

Facts in Support of Finding of Infeasibility

Alternative 5 would meet some of the objectives of the project, but to a lesser degree because the water transfers and exchanges would not provide as much water management flexibility regarding transfers and exchanges. In addition, impacts under Alternative 5 would be similar but greater when compared to the proposed project. Alternative 5 could result in new potentially significant impacts associated with the construction and operation of new water supply facilities that were not identified for the proposed project. In addition, if alternative sources of water are not available, then the less than significant impacts identified for the proposed project could be potentially significant.

Environmentally Superior Alternative

CEQA Guidelines Section 15126.6 subd. (e) requires the identification of an environmentally superior alternative to the proposed project.

As presented in the DEIR, implementation of the proposed project would result in less than significant or no physical environmental impacts to all resource areas except for impacts related to groundwater supplies and subsidence, which are significant and unavoidable.

Alternative 4 would result in similar impacts as the proposed project (e.g., net deficit in aquifer volume, lowering of the local groundwater table, or subsidence in some areas of the study area). Alternatives 1, 2, 3, and 5 could result in impacts similar or greater (new potentially significant impacts associated with the construction and operation of new water supply facilities that were not identified for the proposed project) than the proposed project. Therefore, because the

proposed project and Alternative 4 would result in similar impacts and the other alternatives may result in similar or greater impacts, Alternative 4 was determined to be the environmentally superior alternative.

Section 7. Statement of Overriding Considerations

DWR hereby declares that, pursuant to CEQA Guidelines Section 15093, it has balanced the benefits of the proposed project against any unavoidable environmental impacts in determining whether to approve the proposed project. Pursuant to the CEQA Guidelines, if the benefits of the proposed project outweigh the unavoidable adverse environmental impacts, those impacts may be considered “acceptable.”

Having evaluated the reduction of adverse significant environmental effect of the proposed project to the extent feasible, considered the entire administrative record on the Project, and weighed the benefits of the proposed project against its unavoidable adverse impact, DWR has determined that each of the following benefits of the proposed project separately and individually outweigh the potential unavoidable adverse impacts and render those potential adverse impacts acceptable based upon the following overriding considerations. The following represents the specific reasons to support this determination based on the final EIR and information contained therein.

Water Transfers

The proposed project would add, delete, and modify provisions of the Contracts and clarify certain terms of the Contracts that will provide greater water management regarding transfers and exchanges of SWP water within the SWP service area.

The transfer provisions of the proposed project would facilitate the PWAs ability to:

- Transfer SWP water for multiple years and multiple parties without permanently relinquishing that portion of their annual Table A amounts;
- negotiate cost compensation and duration among the PWAs on a willing seller-willing buyer basis for water transfers; and
- Transfer SWP water stored outside of the transferring PWA’s service area to the receiving PWA’s service area

All these proposed transfer provisions would provide the PWAs with increased flexibility for short-term and long-term planning and management of their SWP water supplies. The proposed project, however, would not include any change to the PWA’s permanent annual Table A amounts.

Since the Monterey Amendment, DWR has approved short-term water transfers pursuant to Articles 15(a) and 41, and has administered the short-term Turn-Back Water Pool Program pursuant to Article 56 of the Contracts. The Turn-Back Water Pool Program allows a PWA to sell Table A water that it will not use, subject to certain conditions, for a set price that is either 50

percent or 25 percent of the Delta Water Rate for that year. DWR has also administered, on a demonstration basis, a multi-year water pool program for 2013-2014 and 2015-2016 that allowed PWAs to participate in the two-year program as either a buyer or seller for each of the two years (a decision made at the beginning of each of the two-year programs) with greater compensation for the water than allowed under the Turn-Back Water Pool Program. DWR has allowed transfers of Table A water among two PWAs with the same landowner in their respective service areas that do not include an exchange of money.

The proposed project would remove all language related to the Turn-back Pool from the Contracts and, compared to the Turn-Back Water Pool Program where DWR established the price based on the Delta water rate, the proposed project would revise the Contracts to allow the PWAs to transfer water based on terms they establish for cost compensation and duration. Also, in contrast to the Turn-Back Water Pool Program, a water transfer could be as long as the remainder of the term of the PWA's Contract. In addition, a PWA would be able to store and transfer water in the same year, and transfer up to 50 percent of its carryover water in San Luis Reservoir, but only for a single-year transfer (i.e., a future or multi-year commitment of transferring carryover water is not allowed).

The proposed amendments would result in a greater amount of water transfers among the PWAs than under the current Contract provisions. Based on past experience and discussions with PWAs, most water transfers that occur due to the proposed amendments would occur among the PWAs located south of the Delta and would not involve additional export of SWP water from the Delta. Water transfers would be implemented using the existing physical facilities and existing operational and regulatory processes, including CEQA compliance.

Water Exchanges

The proposed project would amend the text in Article 56(f) regarding water exchanges to include additional provisions. The proposed exchange provisions of the AIP would establish return ratios (up to a 5:1 ratio) based on a consideration of varying hydrology and would set compensation based on a PWA's SWP charges.

The proposed amendments would allow PWAs to exchange carryover water in San Luis Reservoir, and exchange up to 50 percent of their carryover water in a single-year transaction (i.e., a future or multi-year commitment of exchanging carryover water is not allowed). The proposed provisions would also allow PWAs to conduct water exchanges of carryover water as buyers and sellers in the same year.

While DWR has approved water exchanges pursuant to Articles 15(a), 41, and 56(f), the proposed project would provide the PWAs with increased flexibility for short-term and long-term planning of water supplies. Under the proposed project, exchanges may be used more frequently to respond to variations in hydrology, such as wet years, and in single dry-year and multiple dry-year conditions.

Acronyms and Glossary

AIP	Agreement in Principle
CEQA	California Environmental Quality Act
CFR	Code of Federal Regulations
Contracts	Water Supply Contracts
DEIR	Draft Environmental Impact Report
DWR	California Department of Water Resources
EIR	Environmental Impact Report
FEIR	Final EIR
PRC	California Public Resources Code
PWAs	Public Water Agencies
RDEIR	Recirculated Draft Environmental Impact Report
SGMA	Sustainable Groundwater Management Act
SWC	State Water Contractors
SWP	State Water Project

STATE OF CALIFORNIA
CALIFORNIA NATURAL RESOURCES AGENCY
DEPARTMENT OF WATER RESOURCES

AMENDMENT NO. 21 (THE WATER MANAGEMENT AMENDMENT)
TO WATER SUPPLY CONTRACT
BETWEEN
THE STATE OF CALIFORNIA DEPARTMENT OF WATER RESOURCES
AND
SANTA BARBARA COUNTY FLOOD CONTROL AND WATER CONSERVATION
DISTRICT

THIS AMENDMENT to the Water Supply Contract is made this _____ day of _____, 20____ pursuant to the provisions of the California Water Resources Development Bond Act, the Central Valley Project Act, and other applicable laws of the State of California, between the State of California, acting by and through its Department of Water Resources, herein referred to as the "State," and Santa Barbara County Flood Control and Water Conservation District, herein referred to as the "Agency."

TABLE OF CONTENTS

Recitals	3
Amended Contract Text.....	5
Article 1: Definitions	5
Article 21: Interruptible Water	5
Article 56: Use and Storage of Project Water Outside of Service Area and Article 56 Carryover Water	7
New Contract Articles	17
Article 57: Provisions Applicable to Both Transfers and Exchanges of Water	17
Water Management Amendment Implementing and Administrative Provisions ...	20
Effective Date of Water Management Amendment.....	20
Administration of Contracts Without Water Management Amendment.....	21
Other Contract Provisions.....	21
DocuSign	21

RECITALS

- A. The State and the Agency entered into and subsequently amended a water supply contract (the “contract”), dated February 26, 1963, providing that the State shall supply certain quantities of water to the Agency and providing that the Agency shall make certain payments to the State, and setting forth the terms and conditions of such supply and such payments; and
- B. The State and the Agency, in an effort to manage water supplies in a changing environment, explored non-structural solutions to provide greater flexibility in managing State Water Project (SWP) water supplies; and
- C. The State and the Agency, in an effort to support the achievement of the coequal goals for the Delta set forth in the Delta Reform Act, sought solutions to develop water supply management practices to enhance flexibility and reliability of SWP water supplies while the Agency is also demonstrating its commitment to expand its water supply portfolio by investing in local water supplies; and
- D. The State and the Agency, in response to the Governor’s Water Resiliency Portfolio, wish to maintain and diversify water supplies while protecting and enhancing natural systems without changing the way in which the SWP operates; and
- E. The State and the Agency sought to create a programmatic solution through transfers or exchanges of SWP water supplies that encourages regional approaches among water users sharing watersheds and strengthening partnerships with local water agencies, irrigation districts, and other stakeholders; and
- F. The State and the Agency, in an effort to comply with the Open and Transparent Water Data Platform Act (Assembly Bill 1755), sought means to create greater transparency in water transfers and exchanges; and
- G. The State, the Agency and representatives of certain other SWP Contractors have negotiated and agreed upon a document (dated May 20, 2019), the subject of which is “ Draft Agreement in Principle for the SWP Water Supply Contract Amendment for Water Management” (the “Agreement in Principle”); and
- H. The Agreement in Principle describes that the SWP Water Supply Contract Amendment for Water Management “supplements and clarifies terms of the SWP water supply contract that will provide greater water management regarding transfers and exchanges of SWP water within the SWP service area”; the principles agreed to achieve this without relying upon increased SWP diversions or changing the way in which the SWP operates, and are consistent with all applicable contract and regulatory requirements; and

- I. The State, the Agency and those Contractors intending to be subject to the contract amendments contemplated by the Agreement in Principle subsequently prepared an amendment to their respective Contracts to implement the provisions of the Agreement in Principle, and such amendment was named the “SWP Water Supply Contract Amendment for Water Management”; and
- J. The State and the Agency desire to implement continued service through the contract and under the terms and conditions of this “SWP Water Supply Contract Amendment for Water Management”;

NOW, THEREFORE, IT IS MUTUALLY AGREED that the following changes and additions are hereby made to the Agency's water supply contract with that State:

AMENDED CONTRACT TEXT

ARTICLE 1 IS AMENDED TO ADD THE FOLLOWING DEFINITIONS, PROVIDED THAT IF THIS WATER MANAGEMENT AMENDMENT TAKES EFFECT BEFORE THE CONTRACT EXTENSION AMENDMENT TAKES EFFECT, THE ADDITIONS HEREIN SHALL CONTINUE IN EFFECT AFTER THE CONTRACT EXTENSION AMENDMENT TAKES EFFECT NOTWITHSTANDING THE CONTRACT EXTENSION AMENDMENT'S DELETION AND REPLACEMENT OF ARTICLE 1 IN ITS ENTIRETY:

1. Definitions

- (au) **"Article 56 Carryover Water"** shall mean water that the Agency elects to store under Article 56 in project surface conservation facilities for delivery in a subsequent year or years.

ARTICLES 21 and 56 ARE DELETED IN THEIR ENTIRETY AND REPLACED WITH THE FOLLOWING TEXT:

21. Interruptible Water Service

(a) Allocation of Interruptible Water

Each year from water sources available to the project, the State shall make available and allocate interruptible water to contractors in accordance with the procedure in Article 18(a). Allocations of interruptible water in any one year may not be carried over for delivery in a subsequent year, nor shall the delivery of interruptible water in any year impact the Agency's approved deliveries of Annual Table A Amount or the Agency's allocation of water for the next year. Deliveries of interruptible water in excess of the Agency's Annual Table A Amount may be made if the deliveries do not adversely affect the State's delivery of Annual Table A Amount to other contractors or adversely affect project operations. Any amounts of water owed to the Agency as of the date of this amendment pursuant to former Article 12(d), any contract provisions or letter agreements relating to wet weather water, and any Article 14(b) balances accumulated prior to 1995, are canceled. The State shall hereafter use its best efforts, in a manner that causes no adverse impacts upon other contractors or the project, to avoid adverse economic impacts due to the Agency's inability to take water during wet weather.

(b) Notice and Process for Obtaining Interruptible Water

The State shall periodically prepare and publish a notice to contractors describing the availability of interruptible water under this Article. To obtain a supply of interruptible water, including a supply from a transfer of interruptible water, the Agency shall execute a further agreement with the State. The State will timely process such requests for scheduling the delivery of the interruptible water.

(c) Rates

For any interruptible water delivered pursuant to this Article, the Agency shall pay the State the same (including adjustments) for power resources (including on-aqueduct, off-aqueduct, and any other power) incurred in the transportation of such water as if such interruptible water were Table A Amount water, as well as all incremental operation, maintenance, and replacement costs, and any other incremental costs, as determined by the State. The State shall not include any administrative or contract preparation charge. Incremental costs shall mean those nonpower costs which would not be incurred if interruptible water were not scheduled for or delivered to the Agency. Only those contractors not participating in the repayment of the capital costs of a reach shall be required to pay any use of facilities charge for the delivery of interruptible water through that reach.

(d) Transfers of Interruptible Water

- (1) Tulare Lake Basin Water Storage District, Empire West-Side Irrigation District, Oak Flat Water District, and County of Kings may transfer to other contractors a portion of interruptible water allocated to them under subdivision (a) when the State determines that interruptible water is available.
- (2) The State may approve the transfer of a portion of interruptible water allocated under subdivision (a) to contractors other than those listed in (d)(1) if the contractor acquiring the water can demonstrate a special need for the transfer of interruptible water.
- (3) The contractors participating in the transfer shall determine the cost compensation for the transfers of interruptible water.

The transfers of interruptible water shall be consistent with Articles 56(d) and 57.

56. Use and Storage of Project Water Outside of Service Area and Article 56 Carryover Water

(a) State Consent to Use of Project Water Outside of Service Area

Notwithstanding the provisions of Article 15(a), the State hereby consents to the Agency storing Project Water in a groundwater storage program, project surface conservation facilities and in nonproject surface storage facilities located outside its service area for later use by the Agency within its service area and to the Agency transferring or exchanging Project Water outside its service area consistent with agreements executed under this contract.

(b) Groundwater Storage Programs

The Agency shall cooperate with other contractors in the development and establishment of groundwater storage programs. The Agency may elect to store Project Water in a groundwater storage program outside its service area for later use within its service area. There shall be no limit on the amount of Project Water the Agency can store outside its service area during any year in a then existing and operational groundwater storage program.

(1) Transfers of Annual Table A Amount stored in a groundwater storage program outside a contractor's service area.

In accordance with applicable water rights law and the terms of this Article, the Agency may transfer any Annual Table A Amount stored on or after the effective date of the Water Management Amendment in a groundwater storage program outside its service area to another contractor for use in that contractor's service area. These transfers must comply with the requirements of Articles 56(c)(4)(i)-(v), (6) and (7), and Article 57. The Agency will include these transfers in its preliminary water delivery schedule required in Article 12(a).

(2) Exchanges of any Annual Table A Amount stored in a groundwater storage program outside a contractor's service area.

In accordance with applicable water rights law and the terms of this Article, the Agency may exchange any Annual Table A Amount stored on or after the effective date of the Water Management Amendment in a groundwater storage program outside its service area with another contractor for use in that contractor's service area. These exchanges must comply with the requirements in Article 56(c)(4)(i)-(v). The Agency shall include these exchanges in its preliminary water delivery schedule pursuant to Article 12(a).

(c) Article 56 Carryover Water and Transfers or Exchanges of Article 56 Carryover Water

- (1) In accordance with any applicable water rights laws, the Agency may elect to use Article 56 Carryover Water within its service area, or transfer or exchange Article 56 Carryover Water to another contractor for use in that contractor's service area in accordance with the provisions of subdivision (c)(4) of this Article. The Agency shall submit to the State a preliminary water delivery schedule on or before October 1 of each year pursuant to Article 12(a), the quantity of water it wishes to store as Article 56 Carryover Water in the next succeeding year, and the quantity of Article 56 Carryover Water it wishes to transfer or exchange with another contractor in the next succeeding year. The amount of Project Water the Agency can add to storage in project surface conservation facilities and in nonproject surface storage facilities located outside the Agency's service area each year shall be limited to the lesser of the percent of the Agency's Annual Table A Amount shown in column 2 or the acre-feet shown in column 3 of the following table, depending on the State's final Table A water supply allocation percentage as shown in column 1. For the purpose of determining the amount of Project Water the Agency can store, the final water supply allocation percentage shown in column 1 of the table below shall apply to the Agency. However, there shall be no limit to storage in nonproject facilities in a year in which the State's final water supply allocation percentage is one hundred percent. These limits shall not apply to water stored pursuant to Articles 12(e) and 14(b).

1. Final Water Supply Allocation Percentage	2. Maximum Percentage of Agency's Annual Table A Amount That Can Be Stored	3. Maximum Acre-Feet That Can Be Stored
50% or less	25%	100,000
51%	26%	104,000
52%	27%	108,000
53%	28%	112,000
54%	29%	116,000
55%	30%	120,000
56%	31%	124,000
57%	32%	128,000
58%	33%	132,000
59%	34%	136,000
60%	35%	140,000
61%	36%	144,000
62%	37%	148,000
63%	38%	152,000
64%	39%	156,000
65%	40%	160,000
66%	41%	164,000
67%	42%	168,000
68%	43%	172,000
69%	44%	176,000
70%	45%	180,000
71%	46%	184,000
72%	47%	188,000
73%	48%	192,000
74%	49%	196,000
75% or more	50%	200,000

- (2) Storage capacity in project surface conservation facilities at any time in excess of that needed for project operations shall be made available to requesting contractors for storage of project and Nonproject Water. If such storage requests exceed the available storage capacity, the available capacity shall be allocated among contractors requesting storage in proportion to their Annual Table A Amounts for that year. The Agency may store water in excess of its allocated share of capacity as long as capacity is available for such storage.
- (3) If the State determines that a reallocation of excess storage capacity is needed as a result of project operations or because of the exercise of a contractor's storage right, the available capacity shall be reallocated among contractors requesting storage in proportion to their respective Annual

Table A Amounts for that year. If such reallocation results in the need to displace water from the storage balance for any contractor or noncontractor, the water to be displaced shall be displaced in the following order of priority:

First, water, if any, stored for noncontractors;

Second, water stored for a contractor that previously was in excess of that contractor's allocation of storage capacity; and

Third, water stored for a contractor that previously was within that contractor's allocated storage capacity.

The State shall determine whether water stored in a project surface water conservation facility is subject to displacement and give as much notice as feasible of a potential displacement. If the Agency transfers or exchanges Article 56 Carryover Water pursuant to this subdivision to another contractor for storage in such facility, the State shall recalculate the amount of water that is subject to potential displacement for both contractors participating in the transfer or exchange. The State's recalculation shall be made pursuant to subdivision (4) of this Article.

(4) Transfers or Exchanges of Article 56 Carryover Water

The Agency may transfer or exchange its Article 56 Carryover Water as provided in this subdivision under a transfer or an exchange agreement with another contractor. Water stored pursuant to Articles 12(e) and 14(b) and Nonproject Water shall not be transferred or exchanged. Transfers or exchanges of Article 56 Carryover Water under this subdivision shall comply with subdivision (f) of this Article and Article 57 as applicable, which shall constitute the exclusive means to transfer or exchange Article 56 Carryover Water.

On or around January 15 of each year, the State shall determine the maximum amount of Article 56 Carryover Water as of January 1 that will be available for transfers or exchanges during that year. The State's determination shall be consistent with subdivisions (c)(1) and (c)(2) of this Article.

The State shall timely process requests for transfers or exchanges of Article 56 Carryover Water by participating contractors. After execution of the transfer or exchange agreement between the State and the contractors participating in the transfer or exchange, the State shall recalculate each contractor's storage amounts for the contractors participating in the transfer or exchange. The State's recalculation shall result in an increase by an amount of water within the storage amounts for the contractor receiving the water and a decrease by the same amount of water for the contractor transferring or exchanging water. The State's recalculation shall be based on the criteria set forth in the State's transfer or exchange agreement with the participating contractors. The State's calculations shall also apply when a contractor uses Article 56 Carryover Water to complete an exchange.

Transfers and exchanges of Article 56 Carryover Water shall meet all of the following criteria:

- (i) Transfers or exchanges of Article 56 Carryover Water are limited to a single-year. Project Water returned as part of an exchange under subdivision (c)(4) may be returned over multiple years.
- (ii) The Agency may transfer or exchange an amount up to fifty percent (50%) of its Article 56 Carryover Water to another contractor for use in that contractor's service area.
- (iii) Subject to approval of the State, the Agency may transfer or exchange an amount greater than 50% of its Article 56 Carryover Water to another contractor for use in that contractor's service area. The Agency seeking to transfer or exchange greater than 50% of its Article 56 Carryover Water shall submit a written request to the State for approval. The Agency making such a request shall demonstrate to the State how it will continue to meet its critical water needs in the current year of the transfer or exchange and in the following year.

- (iv) The contractor receiving the water transferred or exchanged under subdivisions (4)(i) or (ii) above shall confirm in writing to the State its need for the water that year and shall take delivery of the water transferred or exchanged in the same year.
 - (v) Subject to the approval of the State, the Agency may seek an exception to the requirements of subdivisions (4)(i), (ii), and (iii) above. The Agency seeking an exception shall submit a written request to the State demonstrating to the State the need for 1) using project surface conservation facilities as the transfer or exchange point for Article 56 Carryover Water if the receiving contractor cannot take delivery of the transfer or exchange water in that same year, 2) using project surface conservation facilities for the transfer or exchange of one contractor's Article 56 Carryover Water to another contractor to reduce the risk of the water being displaced, or 3) for some other need.
- (5) The restrictions on storage of Project Water outside the Agency's service area provided for in this subdivision (c), shall not apply to storage in any project off-stream storage facilities constructed south of the Delta after the date of the Monterey Amendment.
- (6) For any Project Water stored outside its service area pursuant to subdivisions (b) and (c), the Agency shall pay the State the same (including adjustments) for power resources (including on-aqueduct, off-aqueduct, and any other power) incurred in the transportation of such water as the Agency pays for the transportation of Annual Table A Amount to the reach of the project transportation facility from which the water is delivered to storage. If Table A Amount is stored, the Delta Water Charge shall be charged only in the year of delivery to interim storage. For any stored water returned to a project transportation facility for final delivery to its service area, the Agency shall pay the State the same for power resources (including on-aqueduct, off-aqueduct, and any other power) incurred in the transportation of such water calculated from the point of

return to the aqueduct to the turn-out in the Agency's service area. In addition, the Agency shall pay all incremental operation, maintenance, and replacement costs, and any other incremental costs, as determined by the State, which shall not include any administrative or contract preparation charge. Incremental costs shall mean those nonpower costs which would not be incurred if such water were scheduled for or delivered to the Agency's service area instead of to interim storage outside the service area. Only those contractors not participating in the repayment of a reach shall be required to pay a use of facilities charge for use of a reach for the delivery of water to, or return of water from, interim storage.

- (7) If the Agency elects to store Project Water in a nonproject facility within the service area of another contractor it shall execute a contract with that other contractor prior to storing such water which shall be in conformity with this Article and will include at least provisions concerning the point of delivery and the time and method for transporting such water.

(d) Non-Permanent Water Transfers of Project Water

Notwithstanding the provisions of Article 15(a), the State hereby consents to the Agency transferring Project Water outside its service area in accordance with the following:

- (1) The participating contractors shall determine the duration and compensation for all water transfers, including single-year transfers, Transfer Packages and multi-year transfers.
- (2) The duration of a multi-year transfer shall be determined by the participating contractors to the transfer, but the term of the transfer agreement shall not extend beyond the term of the Contract with the earliest term.
- (3) A Transfer Package shall be comprised of two or more water transfer agreements between the same contractors. The State shall consider each proposed water transfer within the package at the same time and shall apply the transfer criteria pursuant to Article 57 in the review and approval of each transfer. The State shall not consider a Transfer Package as an exchange.

(e) Continuance of Article 12(e) Carry-over Provisions

The provisions of this Article are in addition to the provisions of Article 12(e), and nothing in this Article shall be construed to modify or amend the provisions of Article 12(e). Any contractor electing to transfer or exchange Project Water during any year in accordance with the provisions of subdivision (c) of this Article, shall not be precluded from using the provisions of Article 12(e) for carrying over water from the last three months of that year into the first three months of the succeeding year.

(f) Bona Fide Exchanges Permitted

Notwithstanding the provisions of Article 15(a), the State hereby consents to the Agency exchanging Project Water outside its service area consistent with this Article. Nothing in this Article shall prevent the Agency from entering into bona fide exchanges of Project Water for use outside the Agency's service area with other parties for Project Water or Nonproject Water if the State consents to the use of the Project Water outside the Agency's service area. Also, nothing in this Article shall prevent the Agency from continuing those exchange or sale arrangements entered into prior to September 1, 1995. Nothing in this Article shall prevent the Agency from continuing those exchange or sale arrangements entered into prior to the effective date of this Amendment which had previously received any required State approvals. The State recognizes that the hydrology in any given year is an important factor in exchanges. A "bona fide exchange" shall mean an exchange of water involving the Agency and another party where the primary consideration for one party furnishing water to another party is the return of a substantially similar amount of water, after giving due consideration to the hydrology, the length of time during which the water will be returned, and reasonable payment for costs incurred. In addition, the State shall consider reasonable deductions based on expected storage or transportation losses that may be made from water delivered. The State may also consider any other nonfinancial conditions of the return. A "bona fide exchange" shall not involve a significant payment unrelated to costs incurred in effectuating the exchange. The State, in consultation with the contractors, shall have authority to determine whether a proposed exchange of water constitutes a "bona fide exchange" within the meaning of this paragraph and not a disguised sale.

(g) Exchanges of Project Water

Exchanges of Project Water shall be consistent with Article 57. In addition, the State shall apply the following criteria to its review of each exchange of Project Water as set forth below:

(1) **Exchange Ratio**

Exchange ratio shall mean the amount of water delivered from a contractor's project supply in a year to another contractor compared to the amount of water returned to the first contractor in a subsequent year by the other contractor. All exchanges shall be subject to the applicable exchange ratio in this Article as determined by the allocation of available supply for the Annual Table A Amount at the time the exchange transaction between the contractors is executed.

- (a) For allocations greater than or equal to 50%, the exchange ratio shall be no greater than 2 to 1.
- (b) For allocations greater than 25% and less than 50%, the exchange ratio shall be no greater than 3 to 1.
- (c) For allocations greater than 15% and less than or equal to 25%, the exchange ratio shall be no greater than 4 to 1.
- (d) For allocations less than or equal to 15%, the exchange ratio shall be no greater than 5 to 1.

(2) **Cost Compensation**

The State shall determine the maximum cost compensation calculation using the following formula:

The numerator shall be the exchanging contractor's conservation minimum and capital and transportation minimum and capital charges, including capital surcharges. DWR will set the denominator using the State Water Project allocation which incorporates the May 1 monthly Bulletin 120 runoff forecast.

If the Agency submits a request for approval of an exchange prior to May 1, the State shall provide timely approval with the obligation of the contractors to meet the requirement of the maximum compensation. If the maximum compensation is exceeded because the agreement between the

contractors is executed prior to the State Water Project allocation as defined in (c)(2) above, the contractors will revisit the agreement between the two contractors and make any necessary adjustments to the compensation. If the contractors make any adjustments to the compensation, they shall notify the State.

(3) Period During Which the Water May Be Returned:

The period for the water to be returned shall not be greater than 10 years and shall not go beyond the expiration date of this Contract. If the return of the exchange water cannot be completed within 10 years, the State may approve a request for an extension of time.

(h) Other Transfers

Nothing in this Article shall modify or amend the provisions of Articles 15(a), 18(a) or Article 41, except as expressly provided for in subdivisions (c) and (d) of this Article and in subdivision (d) of Article 21.

NEW CONTRACT ARTICLES

ARTICLE 57 IS ADDED TO THE CONTRACT AS A NEW ARTICLE AS FOLLOWS:

57. Provisions Applicable to Both Transfers and Exchanges of Project Water

- (a) Nothing in this Article modifies or limits Article 18 (a).
- (b) Transfers and exchanges shall not have the protection of Article 14(b).
- (b) The Agency may be both a buyer and seller in the same year and enter into multiple transfers and exchanges within the same year.
- (d) Subject to the State's review and approval, all transfers and exchanges shall satisfy the following criteria:
 - (1) Transfers and exchanges shall comply with all applicable laws and regulations.
 - (2) Transfers and exchanges shall not impact the financial integrity of the State Water Project, Transfers and exchange agreements shall include provisions to cover all costs to the State for the movement of water such as power costs and use of facility charge.
 - (3) Transfers and exchanges shall be transparent, including compliance with subdivisions (g) and (h) of this Article.
 - (4) Transfers and exchanges shall not harm other contractors not participating in the transfer or exchange.
 - (5) Transfers and exchanges shall not create significant adverse impacts to the service area of each contractor participating in the transfer or exchange.
 - (6) Transfers and exchanges shall not adversely impact State Water Project operations.
- (e) The Agency may petition the State and the State shall have discretion to approve an exception to the criteria set forth in subdivision (d) in the following cases:
 - (1) When a transfer or an exchange does not meet the criteria, but the Agency has determined that there is a compelling need to proceed with the transfer or exchange.

- (2) When the Agency has received water in a transfer or an exchange and cannot take all of the water identified in the transaction in the same year, the Agency may request to store its water consistent with Article 56(c), including in San Luis Reservoir.
- (f) The State will timely process such requests for scheduling the delivery of the transferred or exchanged water. Contractors participating in a transfer or an exchange shall submit the request in a timely manner.
- (g) The Agency shall, for each transfer or exchange it participates in, confirm to the State in a resolution or other appropriate document approving the transfer or exchange, including use of Article 56(c) stored water, that:
- (1) The Agency has complied with all applicable laws.
 - (2) The Agency has provided any required notices to public agencies and the public.
 - (3) The Agency has provided the relevant terms to all contractors and to the Water Transfers Committee of the State Water Contractors Association.
 - (4) The Agency is informed and believes that the transfer or exchange will not harm other contractors.
 - (5) The Agency is informed and believes that the transfer or exchange will not adversely impact State Water Project operations.
 - (6) The Agency is informed and believes that the transfer or exchange will not affect its ability to make all payments, including payments when due under its Contract for its share of the financing costs of the State's Central Valley Project Revenue Bonds.
 - (7) The Agency has considered the potential impacts of the transfer or exchange within its service area.
- (h) **Dispute Resolution Process Prior to Executing an Agreement**

The State and the contractors shall comply with the following process to resolve disputes if a contractor that is not participating in the transfer or exchange claims that the proposed transfer and/or exchange has a significant adverse impact.

- (1) Any claim to a significant adverse impact may only be made after the Agency has submitted the relevant terms pursuant to Article

57(g)(3) and before the State approves a transfer or an exchange agreement.

- (2) In the event that any dispute cannot be resolved among the contractors, the State will convene a group including the Department's Chief of the State Water Project Analysis Office, the Department's Chief Counsel and the Department's Chief of the Division of Operations or their designees and the contractors involved. The contractor's representatives shall be chosen by each contractor. Any contractor claiming a significant adverse impact must submit written documentation to support this claim and identify a proposed solution. This documentation must be provided 2 weeks in advance of a meeting of the group that includes the representatives identified in this paragraph.
- (3) If this group cannot resolve the dispute, the issue will be taken to the Director of the Department of Water Resources and that decision will be final.

WATER MANAGEMENT AMENDMENT IMPLEMENTING AND ADMINISTRATIVE PROVISIONS

IT IS FURTHER MUTUALLY AGREED that the following provisions, which shall not be part of the Water Supply Contract text, shall be a part of this Amendment and be binding on the Parties.

1. EFFECTIVE DATE OF WATER MANAGEMENT AMENDMENT

- (a) The Water Management Amendment shall take effect (“Water Management Amendment effective date”) on the last day of the calendar month in which the State and 24 or more contractors have executed the Water Management Amendment, unless a final judgment by a court of competent jurisdiction has been entered that the Water Management Amendment is invalid or unenforceable or a final order has been entered that enjoins the implementation of the Water Management Amendment.
- (b) If any part of the Water Management Amendment of any contractor is determined by a court of competent jurisdiction in a final judgment or order to be invalid or unenforceable, the Water Management Amendments of all contractors shall be of no force and effect unless the State and 24 or more contractors agree any the remaining provisions of the contract may remain in full force and effect.
- (c) If 24 or more contractors have not executed the Water Management Amendment by February 28, 2021 then within 30 days the State, after consultation with the contractors that have executed the amendment, shall make a determination whether to waive the requirement of subdivision (a) of this effective date provision. The State shall promptly notify all contractors of the State’s determination. If the State determines, pursuant to this Article to allow the Water Management Amendment to take effect, it shall take effect only as to those consenting contractors.
- (d) If any contractor has not executed the Water Management Amendment within sixty (60) days after its effective date pursuant to subdivisions (a) through (c) of this effective date provision, this Amendment shall not take effect as to such contractor unless the contractor and the State, in its discretion, thereafter execute such contractor’s Water Management Amendment, in which case the Water Management Amendment effective date for purposes of that contractor’s Amendment shall be as agreed upon by the State and contractor, and shall replace the effective date identified in subdivision (a) for that contractor.

2. ADMINISTRATION OF CONTRACTS WITHOUT WATER MANAGEMENT AMENDMENT

The State shall administer the water supply contracts of any contractors that do not execute the Water Management Amendment in a manner that is consistent with the contractual rights of such contractors. These contractors' rights are not anticipated to be affected adversely or benefited by the Water Management Amendments.

3. OTHER CONTRACT PROVISIONS

Except as amended by this Amendment, all provisions of the contract shall be and remain the same and in full force and effect, provided, however, that any reference to the definition of a term in Article 1, shall be deemed to be a reference to the definition of that term, notwithstanding that the definition has been re-lettered within Article 1. In preparing a consolidated contract, the parties agree to update all such references to reflect the definitions' lettering within Article 1.

4. DocuSign

The Parties agree to accept electronic signatures generated using DocuSign as original signatures.

IN WITNESS WHEREOF, the Parties hereto have executed this Amendment on the date first above written.

Approved as to Legal Form
and Sufficiency:

STATE OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES

Chief Counsel
Department of Water Resources

Director

Date

Approved as to Form:

SANTA BARBARA COUNTY FLOOD
CONTROL AND WATER
CONSERVATION DISTRICT

General Counsel
Santa Barbara County Flood Control
and Water Conservation District

General Manager

Date

CENTRAL COAST WATER AUTHORITY

RESOLUTION OF THE CENTRAL COAST WATER AUTHORITY MAKING FINDINGS OF FACT AND ADOPTING A STATEMENT OF OVERRIDING CONSIDERATIONS FOR THE STATE WATER PROJECT WATER SUPPLY CONTRACT AMENDMENTS FOR WATER MANAGEMENT FINAL EIR

FINDINGS OF FACT AND STATEMENT OF OVERRIDING CONSIDERATIONS BY THE BOARD OF DIRECTORS OF THE CENTRAL COAST WATER AUTHORITY REGARDING THE FINAL ENVIRONMENTAL IMPACT REPORT FOR THE STATE WATER PROJECT SUPPLY CONTRACT AMENDMENTS FOR WATER MANAGEMENT

This document presents Findings of Fact (the “Findings”) and a Statement of Overriding Considerations (the “Statement”) by the Central Coast Water Authority (the “CCWA”) regarding the Final Environmental Impact Report (the “Final EIR”) for the State Water Project Water Supply Contract Amendments for Water Management (the “Project”), for which CCWA is acting as a responsible agency under the California Environmental Quality Act (“CEQA”). The Findings and the Statement presented herein were prepared in compliance with CEQA and the State’s CEQA Guidelines. Substantial evidence supporting all findings made herein is contained in the Final EIR and/or the record of proceedings.

If a Project would have significant adverse effects on the environment, CEQA requires a responsible agency to prepare findings describing how those effects would be reduced or avoided. Under California Public Resources Code section 21081(a) and CEQA Guidelines section 15091(a), several findings are possible. They include:

- (1) Changes or alterations have been required in, or incorporated into, the project which mitigate or avoid the significant effects on the environment.
- (2) Those changes or alterations are within the responsibility and jurisdiction of another public agency and have been, or can and should be, adopted by that other agency.
- (3) Specific economic, legal, social, technological, or other considerations, including considerations for the provision of employment opportunities for highly trained workers, make infeasible the mitigation measures or alternatives identified in the environmental impact report.

For any significant effects that cannot be avoided or reduced to a less-than-significant level, the responsible agency must describe the reasons why mitigation or adoption of an alternative approach is infeasible (California Public Resources Code section 21081(a)(3); CEQA Guidelines section 15091(a)(3)). Adoption of a project that would have significant adverse effects on the environment requires that the lead agency identify the project benefits that are evaluated as outweighing its significant effects on the environment (Public Resources Code section 21081(b); CEQA Guidelines section 15093(b)).

BACKGROUND

The Project would amend certain provisions of the State Water Resources Development System (“SWRDS”) Water Supply Contracts (“SWP Contracts”). SWRDS (defined in Water Code section 12931), or more commonly referred to as the SWP, was enacted into law by the Burns-Porter Act, passed by the Legislature in 1959 and approved by the voters in 1960. The Department of Water Resources (“DWR”) constructed and currently operates and maintains the SWP, a system of storage and conveyance facilities that provide water to 29 State Water

Contractors known as the public water agencies (“PWAs”). The Project includes proposed amendments to the SWP Contracts to include water management provisions for actions such as the transfer or exchange of SWP water between PWAs, as well as financial provisions including the methods used by DWR to recover certain costs associated with the planning, construction, and operation and maintenance of SWP facilities.

CCWA’s Role

CCWA is a public entity organized under a joint exercise of powers agreement dated August 1, 1991, by the cities and special districts responsible for the creation and maintenance of water resources in portions of the North County, Santa Ynez Valley, and the South Coast areas of Santa Barbara County. CCWA owns and operates a water treatment plant and pipeline that delivers water from the SWP to project participants in Santa Barbara and San Luis Obispo Counties.

CCWA’s Role as Responsible Agency under CEQA

DWR, as lead agency for the Project under CEQA, certified the Final EIR for the Project in August 2020.

CCWA is a responsible agency for the Project under CEQA as it agrees to be bound by the terms of the amendments to the SWP Contract authorized by approval of the Project. As a responsible agency, CCWA is required to consider the environmental review document prepared by the lead agency and make findings regarding the environmental effect of those parts of the Project that CCWA decides to carry out, fund, or approve.

CCWA’s Review and Consideration of the Final EIR

Prior to taking action on the Project, the Board of Directors (“Board”) of CCWA fully reviewed and considered the information contained in the record of proceedings. In accordance with Public Resources Code section 21167.6(e), the record of proceedings for CCWA decision on the Project includes the following documents:

- The Notice of Preparation and Notice of Completion (“NOC”) filed on July 13, 2018;
- The State Water Project Supply Contract Amendments for Water Management and California WaterFix Draft Environmental Impact Report and all appendices (“Draft EIR”);
- The State Water Project Supply Contract Amendments for Water Management Partially Recirculated Draft Environmental Impact Report and all appendices (“Recirculated Draft EIR”);
- All written comments received in response to, or in connection with, environmental documents prepared for the Project, including responses to the Notice of Preparation;
- Documents cited or referenced in the Draft EIR and Recirculated Draft EIR;
- All findings adopted by DWR and CCWA for the Project
- All reports, studies, memoranda, maps, staff reports, or other planning documents related to the Project prepared by DWR or its consultants with respect to CCWA’s compliance with CEQA and with respect to CCWA’s action on the Project;
- Any recordings of public meetings, public workshops and public hearings held by DWR and CCWA in connection with the Project; and

- Any other materials required for the record of proceedings by Public Resources Code section 21167.6(e).

At its scheduled public meetings on September 24, 2020 and October 22, 2020, the Board independently reviewed and considered the FEIR, DWR's CEQA Findings of Fact and Statement of Overriding Considerations, and other related documents and evidence in the record before it. The Board received one comment from WE Watch dated September 23, 2020 stating, "oppose any changes to water transfer rules that would loosen current provisions and allow the Tuscan Aquifer to be overdrawn to satisfy Central Valley needs, just as the Central Valley water districts have overdrawn their own aquifers. The emphasis for replenishment needs to stay focused on local supplies."

Project Objectives

The Project objective is to supplement and clarify terms of the SWP Contract that will provide greater water management regarding transfers and exchanges of SWP water supply within the entire SWP service area.

Project Description

The Project would add, delete, and modify provisions of the SWP Contracts and clarify certain terms of the SWP Contracts that will provide greater water management regarding transfers and exchanges of SWP water within the SWP service area. In addition, the Project would not build new or modify existing SWP facilities nor change any of the PWA's Annual Table A amounts. The Project would not change the water supply delivered by the SWP, as SWP water would continue to be delivered to the PWAs consistent with current SWP Contract terms and all regulatory requirements.

Draft and Partially Recirculated Draft EIR Circulation

In 2018, DWR prepared and circulated the Draft EIR. The Notice of Preparation ("NOP") and Notice of Completion ("NOC") were filed with the State Clearing Housing (State Clearing Housing No. 2018072033) on July 13, 2018 for public review ending on August 13, 2018. The NOP and information on the scoping meeting were provided to stakeholders, and a scoping meeting was held on August 2, 2018 in the Resources Building Auditorium, 1416 Ninth Street, Sacramento, CA 95814.

The Draft EIR was filed with the State Clearinghouse in July 2018 and was circulated for a 45-day comment period and one extension for a total comment period of 76 days from October 26, 2018 to January 9, 2019. During the public review period, two public meetings were held (November 16 and 30, 2018) and 15 comment letters were received.

In 2019, Governor Newsom announced that he did not support the WaterFix as it was configured at that time, and DWR Director Karla Nemeth withdrew approval of the California WaterFix and rescinded DWR's adoption of findings, statement of overriding considerations, and Mitigation, Monitoring and Reporting Plan, and project approvals. DWR then prepared a Partially Recirculated Draft EIR for the Project that removed the analysis of the California WaterFix and instead focused exclusively on water management regarding transfers and exchanges for SWP water among SWP contractor PWAs.

On May 20, 2019, DWR and SWP contractor PWAs negotiated amendments to a 2018 Agreement in Principle that removed the cost allocation provisions associated with the California WaterFix, but left in place other provisions of the Agreement in Principle related to water management for transfers and exchanges. The Recirculated Draft EIR was published on February 28, 2020 and circulated for 94 days through June 1, 2020. No additional public meetings were held and 3 additional comment letters were received.

Final EIR

Based on comments received on the Draft EIR and Recirculated Draft EIR, changes were made to the document and master responses were prepared for the public comments. The Final EIR incorporates the Draft EIR and Recirculated Draft EIR (and associated appendices) by reference. The Final EIR and all associated materials in the administrative record are incorporated herein by reference. DWR certified the Final EIR on August 25, 2020 as being prepared in accordance with CEQA.

SIGNIFICANT AND UNAVOIDABLE IMPACTS WITHIN CCWA'S JURISDICTION

The Final EIR identified significant and potentially significant environmental impacts that could occur with the implementation of the Project. Specifically, the Project was considered to have potentially significant impacts on Groundwater Hydrology and Water Quality. There were no mitigation measures identified in the Final EIR to substantially lessen or avoid the potentially significant groundwater resources impacts of the Project. The Final EIR also evaluated potential Cumulative Impacts, Significant Irreversible Environmental Changes, and Growth-Inducing Effects.

Impact Category: Groundwater Hydrology and Water Quality

Impact 5.10-1: The increase in groundwater pumping associated with changes in transfers and exchanges implemented by PWAs could substantially deplete groundwater supplies in some areas of the study area. (Final EIR, pp. 5.10-17 – 5.10-21.)

Findings. It is possible that transfers and exchanges of SWP water by CCWA, on behalf of one or more of its members or other participants, could result in benefits to groundwater levels, as transferred or exchanged water could be used in lieu of groundwater supplies or to supplement groundwater recharge. It is also possible, however, that transfers and exchanges from some water users to other water users could result in an increase in groundwater pumping causing a net deficit in aquifer volume or lowering of local groundwater tables in some areas. CCWA's conclusion is based on DWR's program-level analysis, as there is uncertainty in the amount of groundwater use that may occur as a result of the Project.

Because the Sustainable Groundwater Management Act (SGMA) is in the process of being implemented and because the extent, location, and implementation timing of groundwater pumping associated with changes in transfers and exchanges implemented by PWAs are not known, assumptions related to the ability of SGMA to mitigate any changes in groundwater levels are speculative.

CCWA is a Joint Powers Authority whose members and other participants may propose one or more specific transfers or exchanges of SWP water with other PWAs pursuant to the proposed project and any such transfer or exchange could substantially deplete groundwater supplies within the jurisdiction of the CCWA member or participants and/or within the jurisdiction of the

other participating PWAs. The project proponent(s) within Santa Barbara County (CCWA's members/participants) could propose feasible mitigation measures to reduce significant impacts to groundwater pumping within their jurisdiction that are associated with the proposed transfer or exchange to less than significant, although it is not possible for CCWA to conclude that feasible mitigation measures would be available to avoid or mitigate significant groundwater effects in all cases. Per CEQA Guidelines Section 15091(a)(2), implementation and enforcement mitigation measures are within the responsibility and jurisdiction of another public agency and not the agency making the finding.

The extent, location, and implementation timing of groundwater pumping associated with changes in transfers and exchanges implemented by CCWA, on behalf of its members and other participants, are not known. Therefore, it is concluded that the potential increase in groundwater pumping could result in a net deficit in aquifer volume or lowering the local groundwater table. **For these reasons, this impact is significant and unavoidable.**

Impact 5.10-2: The increase in groundwater pumping associated with changes in transfers and exchanges implemented by PWAs could result in subsidence in some of the study area. (Final EIR, pp. 5.10-22 – 5.10-25.)

Findings. It is possible that transfers and exchanges of SWP water by CCWA, on behalf of one or more of its members or other participants, could result in benefits to groundwater levels, as transferred or exchange water could be used in-lieu of groundwater supplies or to supplement groundwater recharge. It is also possible, however, that transfers and exchanges from some water users to other water users could result in an increase in groundwater pumping that could cause subsidence due to a net deficit in aquifer volume or lowering of the local groundwater table in some areas. Because the extent, location, and implementation timing of groundwater pumping associated with changes in transfers and exchanges implemented by PWAs are not known, it is concluded that groundwater pumping in some areas of the study area would cause subsidence due to a net deficit in aquifer volume or lowering the local groundwater table and the impact would be potentially significant.

Because the Sustainable Groundwater Management Act (SGMA) is in the process of being implemented and because the extent, location, and implementation timing of groundwater pumping associated with changes in transfers and exchanges implemented by PWAs are not known, assumptions related to the ability of SGMA to mitigate any changes in groundwater levels are speculative.

The project proponent(s) within Santa Barbara County (CCWA's members/participants) could propose feasible mitigation measures to reduce significant impacts to less than significant in some cases, although it is not possible for CCWA to conclude that feasible mitigation measures would be available to avoid or mitigate significant groundwater effects in all cases. Per CEQA Guidelines Section 15091(a)(2), implementation and enforcement mitigation measures are within the responsibility and jurisdiction of another public agency and not the agency making the finding.

CCWA has no information on specific transfers or exchanges that might be proposed pursuant to the proposed project and CCWA has no authority to implement mitigation measures in any member/participant's service area. **For these reasons, this impact is significant and unavoidable.**

Cumulative Impacts

The Final EIR presents the cumulative impact analysis for the Project, and identified that the Project could cause or contribute to a significant cumulative impact to groundwater supplies and subsidence. (Final EIR, pp. 6-8 – 6-14.)

Findings. The incremental contribution of the proposed project's effect on groundwater supplies and subsidence could be cumulatively considerable when evaluated in connection with the effect of past, current and probable future projects (as full implementation of SGMA is not anticipated until 2040 or 2042). This cumulative impact would be **significant**. The project proponent(s) within Santa Barbara County (CCWA's members/participants) may provide mitigation in their project-level analysis for any proposed transfers or exchanges pursuant to the proposed project. However, per CEQA Guidelines Section 15091(a)(2), implementation and enforcement of mitigation measures are within the responsibility and jurisdiction of another public agency and not the agency making the finding.

Because CCWA has no information on specific implementation of the transfers and exchanges from the proposed project and it has no authority to implement mitigation measures in any member/participant's service area, the cumulative impact would remain **significant and unavoidable**.

Significant Irreversible Environmental Changes

Findings. The Project would not build or modify any existing SWP facility, nor change CCWA's contractual Table A amounts. Thus, the Project would not result in the commitment of nonrenewable natural resources such as gravel, petroleum products, steel, and slowly renewable resources such as wood products, any differently than under existing conditions, and there would be no significant irreversible environmental changes.

Growth-Inducing Impacts

Findings. The Final EIR considered Growth-Inducing Impacts potentially caused by the Project. The Final EIR identified that the Project would not build new or modify existing SWP facilities nor change CCWA's contractual maximum Table A amounts. The Project would also not create additional housing or substantial new permanent employment opportunities, nor would the Project eliminate water supply considerations from future development opportunities. (Final EIR, pp. 5.14-2 – 5.14-5.)

The Final EIR, however, does identify that the Project could result in the fallowing of agricultural land and/or changes in crop patterns as a result of potential exchanges and transfers between agricultural water users and other water users. (Final EIR, pp. 5.3-7 -5.3-9.) Within CCWA's service area, transfers and exchanges and any associated fallowing of agricultural lands and/or changes in cropping patterns are not expected to be substantial and would not be anticipated to change the existing land use designations because land use for these parcels would remain agricultural use.

Further, cities and counties are responsible for considering the environmental effect of their growth and land use planning activities, and perform the appropriate CEQA review for any new development projects. Therefore, the Project does not result in any Growth-Inducing Impacts.

ALTERNATIVES ANALYSIS

DWR considered project alternatives and analyzed these alternatives in the Final EIR and during the public comment period and hearing process. CCWA concurs with DWR's conclusion that these alternatives are infeasible based on the substantial evidence in the record of the impacts of these alternatives and the reasons contained in the Final EIR. Each alternative and the findings associated with the infeasibility of each alternative are set forth below.

Summary of Alternatives Considered

CEQA requires that an EIR describe and evaluate a range of reasonable alternatives to a project or to the location of a project that would feasibly attain most of the basic project objectives and avoid or substantially lessen significant project impacts. The Final EIR considered and rejected the following alternatives by making findings that the alternatives were infeasible. CCWA affirms and adopts DWR's infeasibility findings, as set forth below:

Alternative 1 – No Project

Description. CEQA Guideline section 15126.6(e) requires consideration of a No Project Alternative in order to allow decision-makers to compare impacts of approving a project with the impacts of not approving a project. Under this alternative, DWR would take no action, and DWR and CCWA would continue to operate and finance the SWP under the current SWP Contracts.

Facts in Support of Finding of Infeasibility. The No Project Alternative would not meet the objective of the Project because it does not provide greater water management regarding transfers and exchanges of SWP water within the SWP service area and CCWA service area as compared to the Project. The No Project Alternative would result in similar or greater impacts when compared to the Project. Further, it could result in potentially significant impacts associated with the construction and operation of new water supply facilities. Furthermore, the Project's less than significant impacts could be potentially significant if alternative water sources are not available.

Alternative 2 – Reduce Table A Deliveries

Description. DWR and PWAs, including CCWA, would agree to amend the SWP Contracts in accordance with the May 20, 2019 Agreement in Principle, which would reduce annual Table A amounts proportionately for all the PWAs.

Facts in Support of Finding of Infeasibility. Alternative 2 would not meet the objectives of the Project because it would require CCWA to accept a reduction in delivery of annual Table A amounts proportional for all PWAs and would not provide greater water management regarding transfers and exchanges. Impacts under Alternative 2 would be similar to or greater than the Project within CCWA's jurisdiction. Further, it could result in potentially significant impacts associated with the construction and operation of new water supply facilities. Furthermore, the Project's less than significant impacts could be potentially significant if alternative water sources are not available.

Alternative 3 – Reduced Flexibility in Water Transfers/Exchanges

Description. DWR and PWAs, including CCWA, would agree to amend the SWP Contracts in accordance with the May 20, 2019 Agreement in Principle, but the amendments would not

modify provisions of the SWP Contracts to clarify certain terms to provide greater water management regarding transfers of SWP water supply within the SWP and CCWA service area. Alternative 3 would provide some increase in flexibility of exchanges and transfers, but not as much flexibility as the Project. For example, Alternative 3 would amend the SWP Contracts to allow PWAs to transfer carryover water in San Luis Reservoir, but only 20 percent of the carryover water (the Project allows for 50 percent), allow limited multi-year transfers of five years or less (the Project allows for up to the SWP Contract term), and not allow use of Transfer Packages. In addition, unlike the Project, PWAs, including CCWA, would transfer water based on cost compensation established by DWR. Also, under Alternative 3, the SWP Contracts language in Article 56(f) would not be amended regarding water exchanges to add provisions, such as conducting water exchanges as buyers and sellers in the same year and increasing the compensation allowed to facilitate the exchanges.

Facts in Support of Finding of Infeasibility. Alternative 3 would meet the objective of the Project, but to a lesser degree because the water transfers and exchanges would not provide as much water management flexibility to CCWA regarding transfers and exchanges. Further, it could result in potentially significant impacts associated with the construction and operation of new water supply facilities. Furthermore, the Project's less than significant impacts could be potentially significant if alternative water sources are not available.

Alternative 4 – More Flexibility in Water Transfers/Exchanges

Description. DWR and the PWAs, including CCWA, would agree to amend the SWP Contracts. Unlike the Project, however, the SWP Contracts would be amended to allow PWAs more flexibility in water transfers and exchanges. Similar to the Project, PWAs would be able to transfer carryover water in San Luis Reservoir, transfer water for multiple years without permanently relinquishing that portion of their Table A amounts, and transfer water in Transfer Packages. Similar to the Project, CCWA would be able to transfer water based on terms they establish for cost compensation and duration, and store and transfer water in the same year. Unlike the Project that only allows for single-year transfers associated with carryover water, Alternative 4 would allow transfers and exchanges to include up to 100 percent of a PWA's carryover in San Luis Reservoir and allow multi-year use of its carryover water in both transfers and exchanges. Similar to the Project, the proposed exchange provisions of the Agreement in Principle would establish a larger range of return ratios in consideration of varying hydrology and also maximum compensation with respect to SWP charges and allow PWAs, like CCWA, to conduct additional water exchanges as buyers and sellers in the same year.

Facts in Support of Finding of Infeasibility. Alternative 4 would meet the objective of the Project. Under Alternative 4 the less than significant impacts associated with changes in flow including adverse effects to special-status fish or terrestrial species, and water supply would be similar to the Project. However, similar to the Project, there is potential for Alternative 4 to result in a net deficit in aquifer volume, lowering of the local groundwater table, or subsidence in some areas of the study area with impacts that may be significant and unavoidable.

Alternative 5 – Only Agriculture to Municipal and Industrial Transfers Allowed

Description. DWR and the PWAs, including CCWA, would agree to amend the SWP Contracts based on the May 20, 2019 Agreement in Principle; however, the amendments would only allow for the transfer from agricultural PWAs to municipal and industrial PWAs, and it would not change any current SWP Contract provisions for exchanges. Similar to the Project, PWAs, like CCWA, could transfer carryover water in San Luis Reservoir to PWAs, transfer water for

multiple years without permanently relinquishing that portion of their Table A amounts and request DWR's approval of Transfer Package; however, unlike the Project, these transfers would only be from agricultural PWAs to municipal and industrial PWAs. Similar to the Project, Alternative 5 would revise the SWP Contracts to allow the PWAs to transfer water based on terms they establish for cost compensation and duration. An agricultural PWA would be able to store and transfer water in the same year to only to municipal and industrial PWAs, and transfer up to 50 percent of its carryover water, but only for a single-year transfer to a municipal and industrial PWA (i.e., a future or multi-year commitment of transferring carryover water is not allowed). Under Alternative 5, the SWP Contracts would not be amended to modify the text in Article 56(f) regarding water exchanges to include additional provisions, such as conducting water exchanges as buyers and sellers in the same year.

Similar to the Project, Alternative 5 would not build new or modify existing SWP facilities nor change CCWA's contractual maximum Table A amounts. Also similar to the Project, Alternative 5 would not change the water supply delivered by the SWP as SWP water supply would continue to be delivered to the PWAs consistent with current SWP Contracts terms, including Table A and Article 21 deliveries. Operation of the SWP under this alternative would be subject to ongoing environmental regulations including for water rights, water quality and endangered species protection, among other State and federal laws. Also similar to the Project, Alternative 5 would not require additional permits or approvals.

Facts in Support of Finding of Infeasibility. Alternative 5 would meet some of the objectives of the Project, but to a lesser degree because the water transfers and exchanges would not provide as much water management flexibility regarding transfers and exchanges. Alternative 5 would limit the water users that could engage in transfers and exchanges depending on their water use. Further, it could result in potentially significant impacts associated with the construction and operation of new water supply facilities. Furthermore, the Project's less than significant impacts could be potentially significant if alternative water sources are not available.

Summary of Alternatives Considered and Dismissed from Further Consideration

Description. DWR considered and rejected the alternative to Implement New Water Conservation Provisions in Contracts. This alternative was rejected because existing statutes and regulations govern agricultural and urban water efficiency, conservation, and management measures independent from the Project. (Final EIR, pp. 7-3 – 7-4.)

Findings. Additional water conservation measures in the SWP Contracts would not provide groundwater water management compared to the Project, since these water conservation measures are already required by statutes and regulations. Therefore, CCWA concurs with DWR's conclusion to reject alternative to include additional water conservation measures into the SWP Contracts.

STATEMENT OF OVERRIDING CONSIDERATIONS

Pursuant to CEQA Guideline Section 15093, CCWA finds that specific economic, legal, social, technological, or other considerations make infeasible any additional mitigation measures or Project alternatives identified in the Final EIR, as described above. All feasible mitigation measures have been incorporated into the Project.

In making this Statement of Overriding Considerations in support of the findings of fact and the Project, the Board has considered information contained in the Final EIR for the Project as well

as the public testimony and record of proceedings for the Project. CCWA has balanced the Project's benefits against the unavoidable adverse impacts identified in the Final EIR, described above. This determination is made based upon the public benefits identified in the Final EIR and record of proceedings as stemming from the approval of Project.

The following represents the specific reasons to support this determination based on the Final EIR.

Water Transfers

The Project would add, delete, and modify provisions of the SWP Contracts and clarify certain terms of the SWP Contracts that will provide greater water management regarding transfers and exchanges of SWP water within the SWP service area, including CCWA's service area.

The transfer provisions of the Project would facilitate CCWA's ability to:

- Transfer SWP water for multiple years and multiple parties without permanently relinquishing that portion of their annual Table A amounts;
- Negotiate cost compensation and duration among the PWAs on a willing seller-willing buyer basis for water transfers; and
- Transfer SWP water stored outside of the transferring PWA's service area to the receiving PWA's service area.

All these proposed transfer provisions would provide the PWAs, including CCWA, with increased flexibility for short-term and long-term planning and management of their SWP water supplies. The Project, however, would not include any change to the CCWA's permanent annual Table A amounts.

Since the Monterey Amendment, DWR has approved short-term water transfers pursuant to Articles 15(a) and 41 of the SWP Contracts, and has administered the short-term Turn-Back Water Pool Program pursuant to Article 56 of the SWP Contracts. The Turn-Back Water Pool Program allows a PWA to sell Table A water that it will not use, subject to certain conditions, for a set price that is either 50 percent or 25 percent of the Delta Water Rate for that year. DWR has also administered, on a demonstration basis, a multi-year water pool program for 2013-2014 and 2015-2016 that allowed PWAs to participate in the two-year program as either a buyer or seller for each of the two years (a decision made at the beginning of each of the two-year programs) with greater compensation for the water than allowed under the Turn-Back Water Pool Program. DWR has allowed transfers of Table A water among two PWAs with the same landowner in their respective service areas that do not include an exchange of money.

The Project would remove all language related to the Turn-back Pool from the SWP Contracts and, compared to the Turn-Back Water Pool Program where DWR established the price based on the Delta water rate, the Project would revise the SWP Contracts to allow the PWAs, including CCWA, to transfer water based on terms they establish for cost compensation and duration. Also, in contrast to the Turn-Back Water Pool Program, a water transfer could be as long as the remainder of the term of a SWP Contract. In addition, CCWA would be able to store and transfer water in the same year, and transfer up to 50 percent of its carryover water in San Luis Reservoir, but only for a single-year transfer (i.e., a future or multi-year commitment of transferring carryover water is not allowed).

The proposed amendments would result in a greater amount of water transfers among the PWAs, including CCWA, than under the current SWP Contract provisions. Based on DWR's past experience and discussions with PWAs, most water transfers that occur due to the proposed amendments would occur among the PWAs located south of the Delta, including CCWA, and would not involve additional export of SWP water from the Delta. Water transfers would be implemented using the existing physical facilities and existing operational and regulatory processes, including CEQA compliance.

Water Exchanges

The Project would amend the text in Article 56(f) of SWP Contracts regarding water exchanges to include additional provisions. The proposed exchange provisions of the Agreement in Principle would establish return ratios (up to a 5:1 ratio) based on a consideration of varying hydrology and would set compensation based on CCWA's SWP charges.

The proposed amendments would allow PWAs, such as CCWA, to exchange carryover water in San Luis Reservoir, and exchange up to 50 percent of their carryover water in a single-year transaction (i.e., a future or multi-year commitment of exchanging carryover water is not allowed). The proposed provisions would also allow CCWA, and other PWAs, to conduct water exchanges of carryover water as buyers and sellers in the same year.

While DWR has approved water exchanges pursuant to Articles 15(a), 41, and 56(f) of the SWP Contracts, the Project would provide the PWAs, including CCWA, with increased flexibility for short-term and long-term planning of water supplies. Under the Project, exchanges may be used more frequently to respond to variations in hydrology, such as wet years, and in single dry-year and multiple dry-year conditions.




CENTRAL COAST WATER AUTHORITY

MEMORANDUM

October 13, 2020

TO: CCWA Board of Directors

FROM: Ray A. Stokes
Executive Director 

SUBJECT: Suspended Table A Reacquisition Update

DISCUSSION

CCWA has hired Environmental Services Associates (ESA) to prepare the Environmental Impact Report (EIR) for the reacquisition of 12,214 AF of water that was suspended by Santa Barbara County in the 1980's. There are currently five CCWA project participants interested in reacquiring this water:

City of Santa Maria	9,414 AF
Carpinteria Valley WD	1,000 AF
Montecito Water District	1,000 AF
Santa Ynez ID#1	500 AF
City of Solvang	300 AF

ESA continues to work on preparation of the Draft EIR, with publication before year-end and anticipates that a final document will be available toward the end of the first quarter of calendar year 2021. At the conclusion of the environmental documentation process, we will be in a position to move forward with reacquiring the 12,214 AF of suspended Table A.

CCWA staff has identified the following additional tasks that are necessary to complete the reacquisition:

1. Contract Amendment to the State Water Contract with the Department of Water Resources (DWR):
 - a. An amendment is necessary to include the additional 12,214 AF of Table A amount in the State Water Contract with DWR.
 - b. In the event the Santa Barbara County Flood Control and Water Conservation District (the County) remains the contracting party at the time CCWA moves forward with the project, additional coordination and negotiations with the County may be required.
2. Contracts between CCWA and the participating CCWA participants ("project beneficiaries") in the reacquisition:
 - a. A contract will need to be executed between CCWA and the project beneficiaries addressing both the financial and operational aspects of reacquiring the suspended Table A.
3. Collection of funds to repay the past accumulated costs for the 12,214 AF of suspended Table A to DWR:

- a. CCWA anticipates that each participant in the reacquisition will provide their own funding for the costs to reacquire the suspended Table A.

Since there is only about six months remaining before the environmental process is completed, CCWA staff have begun working on #1 and #2 above and hope to have draft contracts in the near future. Additionally, it is important that each of the participants begin determining how they will fund their allocated share of the costs to reacquire the water to be paid to DWR upon execution of the SWP contract amendment for reacquisition.

RAS